COLUMN & WALL SCHEDULE

COL. No. / DATA	f'c	J.7–J.8	J.8–Kx.8	Kx.7–Kx.8	J–7	K–7	J/K.3–J/K.4	K 1/2	K 3	K 4	K 5	K.9–Kx.9	J/K.10–Lx.10	K 11	K 12/13	K–13/14	L.1/2–L.3x	L 7	L.10x–L.13	L 14	L/Lx.3x–L/Lx.7	L/Lx.12/13–L/Lx.14	Lx.6–Lx.10	COL. No. / DATA
UPPER ROOF																								UPPER ROOF
4350 PENTHOUSE		300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲				K.2–K.5			500x200 4–20	200 WALL ADD 2–20 VEE ▲												PENTHOUSE
3470 14TH FLOOR		300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲	200 WALL ADD 4–20 VEE ▲	200 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲				200 WALL ADD 2–20 VEE ▲	300 WALL ADD 4–20 VEE ▲			200 WALL ADD 4–20 VEE ▲					200 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲			14TH FLOOR
3250 13TH FLOOR		300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲	200 WALL ADD 4–20 VEE ▲	200 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲				200 WALL ADD 2–20 VEE ▲	300 WALL ADD 4–20 VEE ▲			200 WALL ADD 4–20 VEE ▲					200 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲			13TH FLOOR
2950 12TH FLOOR																								12TH FLOOR
3050 11TH FLOOR																								11TH FLOOR
2950 10TH FLOOR																								10TH FLOOR
3050 9TH FLOOR	12'c=30 MPa																							9TH FLOOR
3250 8TH FLOOR																								8TH FLOOR
2950 7TH FLOOR																								7TH FLOOR
2950 6TH FLOOR																								6TH FLOOR
3050 5TH FLOOR																								5TH FLOOR
2790 4TH FLOOR		300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲	300 WALL ADD 4–20 VEE ▲	200 WALL ADD 4–20 VEE ▲	200 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲				200 WALL ADD 2–20 VEE ▲	300 WALL ADD 4–20 VEE ▲			200 WALL ADD 4–20 VEE ▲					200 WALL ADD 4–20 VEE ▲		200 WALL ADD 4–20 VEE ▲			4TH FLOOR
2790 3RD FLOOR		300 WALL ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲	200 WALL ADD 4–25 VEE ▲	200 WALL ADD 4–25 VEE ▲		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H@ TOP ADD 4–25 VEE ▲				200 WALL ADD 2–20 VEE ▲	300 WALL ADD 4–25 VEE ▲			200 WALL 10@200 HEF 10@300 VEF ADD 4–20H @ T&B ADD 4–25 VEE ▲					200 WALL 15@250 HEF 10@300 VEF ADD 4–25H@ TOP ADD 4–25 VEE ▲		200 WALL 15@250 HEF 10@300 VEF ADD 4–25H@ TOP ADD 4–25 VEE ▲			3RD FLOOR
2950 2ND FLOOR		300 WALL ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲	300 WALL ADD 4–25 VEE ▲	200 WALL ADD 4–25 VEE ▲	200 WALL ADD 4–25 VEE ▲		200 WALL 15@300 HEF 10@300 VEF ADD 4–25H@ BOT ADD 4–25 VEE ▲				200 WALL 10@200 HEF 10@300 VEF ADD 2–20H@T&B ADD 2–20 VEE ▲	300 WALL 10@270 HEF 10@200 VEF ADD 4–25 VEE ▲ SLAB ADD 2–20 ALL AROUND THE OPENING	BEAM	250 WALL 10@200 HEF 10@300 VEF ADD 4–20H @ T&B ADD 4–25 VEE ▲			SLAB 300x800 10–30	SLAB 200 WALL 15@250 HEF 15@300 VEF ADD 4–25H@ BOT ADD 4–25 VEE ▲				SLAB 300 WALL 15@250 HEF 15@300 VEF ADD 4–25H@ TOP ADD 2–25 ALL AROUND THE OPENING ADD 4–25 VEE ▲	2950 2ND FLOOR
4250 GROUND	12'c=35 MPa	300 WALL 15@300 HEF 10@200 VEF ADD 8–25 VEE ▲	300 WALL 15@300 HEF 10@200 VEF ADD 8–25 VEE ▲ ADD 2–20 ALL AROUND THE OPENING	300 WALL 15@300 HEF 10@200 VEF ADD 8–25 VEE ▲	200 WALL 15@300 HEF 10@200 VEF ADD 8–25 VEE ▲	200 WALL 15@300 HEF 10@200 VEF ADD 8–25 VEE ▲	200 WALL 15@300 HEF 10@200 VEF ADD 2–20 H @ T&B ADD 4–20 VEE ▲	BEAM 300x800 10–30	BEAM 300x800 10–30	BEAM 800x300 10–30		SLAB	300 WALL 15@300 HEF 10@200 VEF ADD 4–20 H @ T&B ADD 4–25 VEE ▲	BEAM 300x700 10–30	BEAM 300x800 10–35	250 WALL 15@300 HEF 10@200 VEF 16–25 V ▲ 10@300 TIES	250 WALL 15@250 HEF 10@200 VEF ADD 4–25 H @ T&B ADD 4–25 VEE ▲ ADD 2–20 ALL AROUND THE OPENING	BEAM 300x800 10–30	BEAM 300x800 10–30	BEAM 800x500 12–35	300 WALL 15@300 HEF 10@200 VEF ADD 4–20 H @ T&B ADD 4–25 VEE ▲	250 WALL 15@300 HEF 10@200 VEF ADD 4–20 H @ T&B ADD 4–25 VEE ▲	BEAM 300 WALL 15@250 HEF 15@300 VEF ADD 4–25H @ BOT ADD 4–25 VEE ▲ ADD 2–25 ALL AROUND THE OPENING	4250 GROUND
EL. 0.000				ELEV. CORE			SLAB	SLAB	SLAB	SLAB			SLAB		SLAB		BEAM	SLAB		SLAB	SLAB	SLAB	SLAB	EL. 114.75
DATA / COL. No.	f'c	J.7–J.8	J.8–Kx.8	Kx.7–Kx.8	J–7	K–7	J/K.3–J/K.4	K 1/2	K 3	K 4	K 5	K.9–Kx.9	J/K.10–Lx.10	K 11	K 12/13	K–13/14	L.1/2–L.3x	L 7	L.10x–L.13	L 14	L/Lx.3x–L/Lx.7	L/Lx.12/13–L/Lx.14	Lx.6–Lx.10	DATA / COL. No.

Jablonsky, Ast and Partners
CONSULTING ENGINEERS
1129 LESLIE STREET
DON MILLS, ON., M3C 3K5
TEL 416-447 7405
FAX 416-447 2771
E-mail jap@astlmt.on.ca

P.F. AST
13015
PROFESSIONAL ENGINEER
PROVINCE OF ONTARIO

FIRST FLOOR ELEV. 93.60m

no.	issued / revised	date:
1	ISSUED FOR PERMIT	2014-05-30
2	RE ISSUED FOR PERMIT	2014-07-10
3	ISSUED FOR FORMAL TENDER	2014-08-07
4	CONSTRUCTION REVIEW	2014-12-15
5	RE ISSUED FOR PERMIT	2015-01-27
6	ISSUED FOR CONSTRUCTION	2015-03-16
7	UPDATED - IFC	2015-04-09

ALEXANDRA PARK - BLOCK 11
TORONTO, ONTARIO

project no:	13015
scale:	AS NOTED
drawn by:	H.W.
reviewed by:	H.P.
date started:	MARCH 2014

COLUMN & WALL SCHEDULE

S-204