


9TH FLOOR FRAMING PLAN

SCALE 1 : 100

1. TOP OF SLAB IS AT ELEVATION AS SHOWN ON ARCH. DRAWINGS EXCEPT AS DRESSED AND NOTED ON PLAN.
2. CONCRETE STRENGTH AT 28 DAYS SHALL BE:
FOR WALLS AND COLUMNS SEE SCHEDULE FOR EXC. SLABS 35 MPa
FOR EXC. SLABS 35 MPa
FOR BEAMS 35 MPa
CONCRETE EXPOSED TO WEATHER SHALL BE 35 MPa WITH 6% TO BE ENHANCED AND
3. FLOOR SLABS ARE DESIGNED FOR FOLLOWING LOADING CONDITIONS:

S.L.B.	S.L.B.	L.L.
STAIRS & BALCONIES	0.50 KPa	4.80 KPa
LODGERS & STORAGE	1.30 KPa	4.80 KPa
RESIDENTIAL	1.30 KPa	1.75 KPa
TOILETS	1.30 KPa	2.40 KPa
TERRACES	5.0 KPa	4.80 KPa



4. MINIMUM YIELD STRESS FOR REINFORCING STEEL SHALL BE 400 MPa.
5. TEMPERATURE REINFORCING FOR : 200 SLAB IS 100%.
6. NO OPENINGS LARGER THAN 300mm x 300mm ARE ALLOWED IN SLAB OTHER THAN THOSE SHOWN ON DRAWINGS.
7. SEE GENERAL DETAILS ON DRAWINGS S-001 TO S-006.
8. SEE GENERAL NOTES ON DRAWING S-001.
9. REFER TO ARCH. DRAWINGS FOR SLOPES OF SLAB.
10. TOP COLUMN & WALL SCHEDULE SET DRAWINGS S-001 TO S-006.
11. CORONAITE BEAM DEPTH AT DOOR OPENINGS WITH ARCH. DRAWINGS.
12. EXTEND TOP REIN. TO END OF BALCONIES/OVERHANGS.
13. TOP BARS TERMINATING AT EDGE OF SLAB TO HAVE 180° HOOK.

Jablonsky, Ast and Ortner ENGINEERS
 1100 SHEPPARD AV. E. SUITE 200
 SCARBOROUGH, ONT. M1B 4Y7
 TEL: 416-441-2777
 FAX: 416-441-2778
 E-MAIL: info@jablonsky.com

FIRST FLOOR ELEV. 90.000m

NO.	REVISION	DATE
1	ISSUED FOR PERMIT	2014/03/04
2	REVISION FOR COMMENTS	2014/03/04
3	REVISION FOR COMMENTS	2014/03/04
4	REVISION FOR COMMENTS	2014/03/04
5	REVISION FOR COMMENTS	2014/03/04
6	REVISION FOR COMMENTS	2014/03/04
7	REVISION FOR COMMENTS	2014/03/04
8	REVISION FOR COMMENTS	2014/03/04
9	REVISION FOR COMMENTS	2014/03/04
10	REVISION FOR COMMENTS	2014/03/04
11	REVISION FOR COMMENTS	2014/03/04
12	REVISION FOR COMMENTS	2014/03/04
13	REVISION FOR COMMENTS	2014/03/04
14	REVISION FOR COMMENTS	2014/03/04
15	REVISION FOR COMMENTS	2014/03/04
16	REVISION FOR COMMENTS	2014/03/04

ALEXANDRA PARK - BLOCK 11
 TORONTO, ONTARIO

DATE: 2014/03/04
 DRAWN BY: H.W.
 CHECKED BY: H.W.
 DESIGN: H.W.
 DATE: MARCH 2014