



6TH FLOOR FRAMING PLAN


SCALE: 1" = 100'

1. TOP OF SLAB IS AT ELEVATION AS SHOWN ON ARCH. DRAWINGS EXCEPT AS CROSSSED AND NOTED ON PLAN.
2. CONCRETE STRENGTH AT 28 DAYS SHALL BE:  
FOR WALLS AND COLUMNS ..... 35 MPa  
FOR INTERIOR SLABS ..... 35 MPa  
FOR DECKS ..... 35 MPa  
CONCRETE EXPOSED TO ELEMENTS SHALL BE 35 MPa WITH 6% TO BE ENHANCED AND
3. FLOOR SLABS ARE DESIGNED FOR FOLLOWING LOADING CONDITIONS:  

|                     | S.L.O.   | T.L.     |
|---------------------|----------|----------|
| STAIRS & BALCONIES  | 0.50 kPa | 4.80 kPa |
| LOOKERS & STORAGE * | 1.30 kPa | 4.80 kPa |
| RESIDENTIAL         | 1.30 kPa | 1.9 kPa  |
| TOILETS             | 1.30 kPa | 2.40 kPa |
| TERRACES            | 5.0 kPa  | 4.80 kPa |


\*

DIRECTION OF REINFORCING OF THE SLAB  
UNLESS SHOWN ON THE PLAN  
T.L. & R.L. T.L. & R.L.



ALEXANDRA PARK - BLOCK 11  
TORONTO, ONTARIO

| FIRST FLOOR ELEV. 80.00m |                     |            |  |
|--------------------------|---------------------|------------|--|
| NO.                      | REMARKS / REMARKS   | DATE       |  |
| 1                        | REVISION / REVISION | 2016/01/18 |  |
| 2                        | REVISION / REVISION | 2016/01/18 |  |
| 3                        | REVISION / REVISION | 2016/01/18 |  |
| 4                        | REVISION / REVISION | 2016/01/18 |  |
| 5                        | REVISION / REVISION | 2016/01/18 |  |
| 6                        | REVISION / REVISION | 2016/01/18 |  |
| 7                        | REVISION / REVISION | 2016/01/18 |  |
| 8                        | REVISION / REVISION | 2016/01/18 |  |
| 9                        | REVISION / REVISION | 2016/01/18 |  |
| 10                       | REVISION / REVISION | 2016/01/18 |  |
| 11                       | REVISION / REVISION | 2016/01/18 |  |
| 12                       | REVISION / REVISION | 2016/01/18 |  |
| 13                       | REVISION / REVISION | 2016/01/18 |  |
| 14                       | REVISION / REVISION | 2016/01/18 |  |
| 15                       | REVISION / REVISION | 2016/01/18 |  |
| 16                       | REVISION / REVISION | 2016/01/18 |  |



Jablonsky, Asst  
Engineers  
608 BILLY ST. SUITE 205  
TORONTO, ONTARIO M5G 1B5  
Tel: 416-464-2777  
Fax: 416-464-2777  
E: info@jablonsky.com

DESIGNED BY: J. P. ASST  
CHECKED BY: J. P. ASST  
DATE: 2016/01/18  
MARK: 2016