



KEY NOTES - INQUIRY:

- ① DESIGNATED "LAUNDRY RECEPTACLE" AS DEFINED BY ASIA CODE 26-1201(e)(1), 26-1201(b) AND ASIA BULLETIN 26-126-02 (WITHIN 3m RADIUS OF LAUNDRY CLOSET). RECEPTACLE SHALL BE CONNECTED TO A DEDICATED CIRCUIT. SEE DETAIL #4 ON DUG. E-35.
- ② SUITE DOOR CONTACTS AND GLASS BREAK DETECTOR WILL COMPLETE WITH INTRUSION ALARM SYSTEM THAT CONTACT TO THE CONCIERGE STATION. (TYPICAL)
- ③ FOR FAN COIL UNITS (FCU) ELECTRICAL CONTRACTOR TO SUPPLY AND INSTALL CONDUIT AND JUNCTION BOX FOR REMOTE THERMOSTAT. MECHANICAL CONTRACTOR SHALL SUPPLY, WIRE, TERMINATE WIRING AND MOUNT THERMOSTAT.
- ④ INSTALL SIDE-MOUNTED RECEPTACLE ON KITCHEN ISLAND CABINET.
- ⑤ SWITCHES, RECEPTACLES, ETC., TO BE INSTALLED AS TO NOT INTERFERE WITH THE OPENING AND OPERATION OF SLIDING DOOR.
- ⑥ TERRACE LIGHTING FIXTURE AND RECEPTACLE, SHALL BE CENTERED ON PANEL (350MM FROM CENTRE OF DOOR MILLION): REFER TO ARCHITECTURAL ELEVATION.

16. ALL SMOKE ALARMS WITHIN THE SUITE SHALL BE HARDWIRED TOGETHER AND TO A 15A, IF CIRCUIT BREAKER AHEAD OF OTHER LOADS.
17. ALL OUTDOOR RECEPTACLES SHALL BE WEATHERPROOF (LEGRADE CAT# 3232TRUR-GRY FOR NON-GFCI AND CAT# 1395TRUR-GRY FOR GFCI) AND SHALL BE EQUIPPED WITH A WHELLE IN USE ALUMINUM COVERPLATE (LEGRADE CAT# WJUCAST1) COVERPLATE.

KEY NOTES - RESIDENTIAL - COMMON AREA:

- ① FOR CIRCUITING, REFER TO TABLE #1.
- ② PROVIDE ALARM SMOKE SMOKE DETECTOR AND RECEPTACLE AT EVERY THIRD FLOOR STAIR WELLS STARTING FROM TOP FLOOR, AS PER TO DUG. E-32 FOR FIRE ALARM RISER DIAGRAM.
- ③ PROVIDE TELECOMMUNICATION BACKBOARD C/U 15B, 14, 15A RECEPTACLE AS PER COMMUNICATION RISER DIAGRAM ON DUG. E-31.
- ④ CONTRACTOR SHALL REFER TO ELECTRICAL SINGLE LINE DIAGRAM ON DUG. E-26 AND SDP RISER ON DUG. E-31 FOR SDP LOCATIONS AND DISTRIBUTION.
- ⑤ PROVIDE CONDUIT AS PER RISER DETAIL #9 ON DUG. E-35 FOR RISER CONTROL SYSTEM.
- ⑥ REFER TO SUPERVISED VALVE AND FLOW SWITCH SCHEDULE ON DUG. E-33 FOR DETAILS ON TYPICAL FLOORS.

MARK VOID ALL PRIOR CHECKS PREVIOUS TO FINAL DATE ABOVE

REVISIONS

CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE JOB AND REPORT DISCREPANCIES TO THE ENGINEERS BEFORE PROCEEDING WITH THE WORK. THIS DRAWING IS THE PROPERTY OF THE ENGINEERS AND WILL BE RETURNED UPON COMPLETION OF THE WORK.

DRAWINGS ARE NOT TO BE SCALED

