


[illegible][illegible]

Door and Frame Schedule - Level 5																						
Door				Frame		Fire Rating																
Door Number	Number of Door Panels	Width	Height	Thickness	Door Type	Panel Material	Panel Finish	Frame Type	Frame Material	Frame Finish	Fire Rating (Door)	Fire Rating (Wall)	Temperature Rise Label	Panic Hardware	Self Closure	Threshold	Insulated	Weather Stripping	Auto Open	Lock Hardware	Comments	
S03	-	965	2160	45	A1	15A	PF1	F1	18P	PF1	45 MIN.	1-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES
S04	2x	710	2160	45	A2	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES
S05	2x	610	2160	45	A2	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES
S06	2x	610	2160	45	A2	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES
S07	2x	610	2160	45	A1	15A	PF1	F1	18P	PF1	45 MIN.	1-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES
S08	2x	610	2160	45	A1	15A	PF1	F1	18P	PF1	45 MIN.	1-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES
S09	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S10A	2x	610	2160	45	A2	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO ATTACHE C-DRAWING FOR FINISHES SECURITY
S10B	2x	610	2160	45	A2	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO ATTACHE C-DRAWING FOR FINISHES SECURITY
S11	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO ATTACHE C-DRAWING FOR FINISHES SECURITY
S12	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO ATTACHE C-DRAWING FOR FINISHES SECURITY
S13	2x	610	2160	45	A2	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO ATTACHE C-DRAWING FOR FINISHES SECURITY
S14	2x	610	2160	45	A2	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO ATTACHE C-DRAWING FOR FINISHES SECURITY
S15	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO ATTACHE C-DRAWING FOR FINISHES SECURITY
S16A	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO ATTACHE C-DRAWING FOR FINISHES SECURITY
S16B	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO ATTACHE C-DRAWING FOR FINISHES SECURITY
S17	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S18	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S19	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S20	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S21	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S22	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S23	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S24	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S25	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S26	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S27	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S28	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S29	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S30	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S31	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S32	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S33	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S34	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S35	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S36	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S37	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S38	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S39	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S40	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S41	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S42	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S43	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S44	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S45	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S46	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S47	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S48	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S49	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S50	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S51	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S52	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S53	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S54	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S55	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S56	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S57	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S58	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S59	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S60	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S61	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S62	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S63	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S64	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S65	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S66	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S67	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S68	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S69	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S70	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S71	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S72	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S73	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S74	2x	610	2160	45	B1	15B	PF1	F1	18P	PF1	50 MIN.	2-18H	-	-	-	■	-	-	-	-	-	REFER TO E-DRAWINGS FOR FINISHES SECURITY
S75																						



DOOR GENERAL NOTES			
1	ALL DOORS WITH REQUIRED FIRE SEPARATIONS TO BE PROVIDED WITH POSITIVE LATCHING DEVICES AND 20" x 40" MIN. MUST HAVE APPROPRIATE LABELING CODE, FRAME AND HARDWARE. ODC REFERENCE 3. IS TO UL AND 1.5.2		
2	DOORS WITH SELF-CLOSING HARDWARE WITHIN THE REQUIRED FIRE SEPARATION TO CONFORM TO D.G. TABLE 3.5.1		
3	DOORS WITH TEMPERATURE RISE RATINGS (T.R.) INDICATING THAT THE DOOR HAS A MAXIMUM TEMPERATURE RISE OF 250 AFTER 15 MIN OF EXPOSURE (D.G. TABLE 3.5.1) ARE TO BE PROVIDED DOORS TO LIST TRANSFER FROM THE FRAMING CHANNEL LOCOS LOCATED WITHIN THE RAIL AND DOORS THAT ARE LOCATED WITHIN FRAMING CHANNELS		
4	ALL FRAMES OF DOORS WITH CONCRETE OR CONCRETE BLOCK 2" IN FIRE SEPARATIONS AND FIRE WALLS ARE TO BE SEALED TO THE WALL WITH EITHER 2" MINIMUM OR CONCRETE 4" MIN.		
5	ALL THRESHOLDS TO BE ALUMINUM ALSEDS OR BRASS/INSET		
6	ALL INSULATED GLASS TO BE DOUBLE GLAZED		
7	SEE ELECTRICAL DRAWINGS AND SPECIFICATIONS FOR LOCATION OF MANDATORY LOCKING DEVICES AND AUTOMATIC DOORS TO OPERATE ACTIVATION OF FIRE ALARM		
8	CONVOLUTIONAL SECURITY REQUIREMENTS & DOOR ENTRY BY OTHERS		
LEGEND:			
TYPE	FINISHES & MATERIALS	NOTES & REMARKS	
AL ALUMINUM	ANOD CLEAR ANODIZED	AF1	BARRIER FIRE AUTOMATIC DOOR
FE FIBERGLASS	GLGY GLASSWEAVE	AF2	POWER DOOR ACTIVATED GLASS
HC HOLLOW CORE	GL GLASS	TRC	TEMPERATURE RISE LABEL
HCAP HANDED/CAP	FLGL FIBREGLITE GLASS	WE	WEATHER STOPPING
HL HOLLOW METAL	TS TEMPERED GLASS	TK	TRUCKS
LI LIQUID	OWS OILY WAXED GLASS	CL	CLOSURE
LIH LIQUID	OWS OILY WAXED GLASS	FLR	FLOOR
MAG MAGNETIC	FLAM PLASTIC LAMINATE	INS	INSULATED
MR MIRROR	PT PARTED	TH	THRESHOLD
MTL METAL	STN STAINED	AF3	ABOVE FINISHED FLOOR
SC SOLID CORE	WV WOOD VENEER	BV	SITE VERIFY
SCC SSC SOLID CORE	VN VINYL	IF	IN FEED TO INSIDE OF DRAWING
OH OVERHEAD	P PLASTIC	CR	CARD READER
WO WOOD	FR FIBRE FRAMED	ES	ELECTRIC STOP
STL STEEL	MR MARBLE	MG	MAGNETIC
IR RUBBER	PU PURCHASED SELECTED	WL	WALL
	IGI INSULATED GLASS UNIT	SDN	SECURITY DEVICE TRANSFER TO SECURITY DRAWING
FRAME TYPES:			
F1	HOLLOW METAL IN BLOCK OR CONCRETE/OTWALL		
F2	ALUMINUM		
F3	WOOD IN STUDS: SIZE VERNALLY TO PARTITION		
F4	HOLLOW METAL VERNALLY BROKEN		
F5	METAL - READY FRAME		
DOOR TYPES:			
A1		A2	
B1		B2	
C1		C2	
D1		D2	
E1		E2	
F		F	
G1		G2	
H		H	
J1		J2	
K1		K2	
L		M1	
N1		N1	