







CODE COMPLIANCE LEGEND	
0.9m	DENOTES FIRE SEPARATION HAVING A FIRE RESISTANCE RATING OF 0.9h.
2.0m	DENOTES FIRE SEPARATION HAVING A FIRE RESISTANCE RATING NOT LESS THAN 2.0h.
1.0m	DENOTES FIRE SEPARATION HAVING A FIRE RESISTANCE RATING NOT LESS THAN 1.0h.
0.6m	DENOTES FIRE SEPARATION HAVING A FIRE RESISTANCE RATING NOT LESS THAN 0.6h.
0.3h	DENOTES FIRE SEPARATION HAVING A FIRE RESISTANCE RATING NOT LESS THAN 0.3h.
0.9m	DENOTES FIRE SEPARATION HAVING A FIRE RESISTANCE RATING NOT LESS THAN 0.9h.
3.0m	DENOTES FIRE HOSE CABINET HOSE LENGTH 3.0m + 30m HOSE STREAM
3.0m	DENOTES TRAVEL DISTANCE 40m MAXIMUM
3.0m	DENOTES DEAD END CORRIDORS 5m MAXIMUM

Code Compliance Legend 2	
GENERAL TYPICAL FLOOR NOTES	
1.	REFER TO REVENUE DESIGN DRAWINGS FOR INTERIOR FINISHES AND SPECIFICATIONS.
2.	RADIANT SLAB AND CONCRETE BEAMS CONSTRUCTION TO BE SHOWN AWAY FROM SLAB ONLY FOR DRAINAGE. PROVIDE SCHEDULED DRAIN FOR BALCONIES WITH COVERED ALL TERRACES TO HAVE SLOPED OR AREA DRAIN. SEE PLANS FOR LOCATIONS.
3.	PROVIDE APPROVED SOUND INSULATION FOR PERIMETERIAL AND VERTICAL PIPES THROUGH WALL AND FLOOR PENETRATIONS AS REQUIRED. REFER TO MECHANICAL DRAWINGS & ACoustical REPORT.
4.	REFER TO WINDOW SCHEDULE FOR LOCATION OF WINDOW OPENING SECTION AND INJECT SCREEN.
5.	PROVIDE ALL FURNISHINGS AS REQUIRED FOR ELECTRICAL AND DETAILS. REFER TO ELECTRICAL DRAWINGS FOR LOCATION AND DETAILS.
6.	COORDINATE WITH MECHANICAL AND ELECTRICAL DRAWINGS FOR ALL PIPE AND SHAFT SLEEVE REQUIREMENTS.
7.	ALL BATHROOM CEILING TO BE CONSTRUCTED AS PER DETAIL S110-01. PROVIDE ACoustical BATTLE WALL BATHROOM FIRE RATED.
8.	AT ALL STAIR PRESSURIZATION SHAFT ENCLOSURES, NO SERVICES SHALL BE ALLOWED TO PENETRATE, OR PASS THRU THIS ENCLOSURE.
9.	ELEVATOR: A. ELEVATOR SHAFT DIMENSIONS PROVIDED BY THE ELEVATOR CONSULTANT. A COPY OF THIS REPORT CAN BE OBTAINED FROM THE OWNER. COORDINATE SHAFT SIZE AND REQUIREMENTS WITH REVENUE ELECTRICAL & PIPING DRAWINGS. B. ELEVATOR PIT SHALL BE CO-ORDINATED WITH ELEVATOR SUPPLIER. C. ELEVATOR SHAFT WALLS TO BE CONSTRUCTED TO ACHIEVE A MIN. FIRE RESISTANCE RATING OF 2-HRS. D. AN APPROVED FIRE STOP MATERIAL IS TO BE USED TO SEAL INTERSECTION TOP OF CONCRETE BLOCK AT FLOOR SLABS. E. ELEVATOR PIT ACCESS TO BE ON UNFISHED STEEL AND FLOORING 1500mm ABOVE SILL. LADDERS TO BE SUPPLIED & INSTALLED BY ORIGINAL CONTRACTOR.
10.	LOCKER ROOM NOTES: ALL LOCKER ROOMS WITHIN 100mm (TOP) 1. LOCKERS TO BE CONSTRUCTED WITH 100mm MESH REINFORCED CONCRETE 100mm HIGH. PROVIDE INTERIOR DOOR AND CEILING. ALL WIRE SERVICES SHALL BE INSTALLED IN CONCEALED MANNER. REVENUE LOCKER ROOM LAYOUT PREPARED BY ARCHITECT AND INSTALLER TO BE INSTALLED IN 48-HOUR DRAWINGS FOR REVIEW BY OWNER AND ARCHITECT.
11.	BICYCLE SPACE NOTES: ALL BICYCLE SPACES TO COMPLY WITH TORONTO BICYCLE BY-LAW STANDARDS. PROVIDE INTERIOR DOOR AND CEILING. ALL WIRE SERVICES SHALL BE INSTALLED IN CONCEALED MANNER. REVENUE BICYCLE SPACE LAYOUT PREPARED BY ARCHITECT AND INSTALLER TO BE INSTALLED IN 48-HOUR DRAWINGS FOR REVIEW BY OWNER AND ARCHITECT.

General Typical Floor Notes 1	
1.	REFER TO REVENUE DESIGN DRAWINGS FOR INTERIOR FINISHES AND SPECIFICATIONS.
2.	RADIANT SLAB AND CONCRETE BEAMS CONSTRUCTION TO BE SHOWN AWAY FROM SLAB ONLY FOR DRAINAGE. PROVIDE SCHEDULED DRAIN FOR BALCONIES WITH COVERED ALL TERRACES TO HAVE SLOPED OR AREA DRAIN. SEE PLANS FOR LOCATIONS.
3.	PROVIDE APPROVED SOUND INSULATION FOR PERIMETERIAL AND VERTICAL PIPES THROUGH WALL AND FLOOR PENETRATIONS AS REQUIRED. REFER TO MECHANICAL DRAWINGS & ACoustical REPORT.
4.	REFER TO WINDOW SCHEDULE FOR LOCATION OF WINDOW OPENING SECTION AND INJECT SCREEN.
5.	PROVIDE ALL FURNISHINGS AS REQUIRED FOR ELECTRICAL AND DETAILS. REFER TO ELECTRICAL DRAWINGS FOR LOCATION AND DETAILS.
6.	COORDINATE WITH MECHANICAL AND ELECTRICAL DRAWINGS FOR ALL PIPE AND SHAFT SLEEVE REQUIREMENTS.
7.	ALL BATHROOM CEILING TO BE CONSTRUCTED AS PER DETAIL S110-01. PROVIDE ACoustical BATTLE WALL BATHROOM FIRE RATED.
8.	AT ALL STAIR PRESSURIZATION SHAFT ENCLOSURES, NO SERVICES SHALL BE ALLOWED TO PENETRATE, OR PASS THRU THIS ENCLOSURE.
9.	ELEVATOR: A. ELEVATOR SHAFT DIMENSIONS PROVIDED BY THE ELEVATOR CONSULTANT. A COPY OF THIS REPORT CAN BE OBTAINED FROM THE OWNER. COORDINATE SHAFT SIZE AND REQUIREMENTS WITH REVENUE ELECTRICAL & PIPING DRAWINGS. B. ELEVATOR PIT SHALL BE CO-ORDINATED WITH ELEVATOR SUPPLIER. C. ELEVATOR SHAFT WALLS TO BE CONSTRUCTED TO ACHIEVE A MIN. FIRE RESISTANCE RATING OF 2-HRS. D. AN APPROVED FIRE STOP MATERIAL IS TO BE USED TO SEAL INTERSECTION TOP OF CONCRETE BLOCK AT FLOOR SLABS. E. ELEVATOR PIT ACCESS TO BE ON UNFISHED STEEL AND FLOORING 1500mm ABOVE SILL. LADDERS TO BE SUPPLIED & INSTALLED BY ORIGINAL CONTRACTOR.
10.	LOCKER ROOM NOTES: ALL LOCKER ROOMS WITHIN 100mm (TOP) 1. LOCKERS TO BE CONSTRUCTED WITH 100mm MESH REINFORCED CONCRETE 100mm HIGH. PROVIDE INTERIOR DOOR AND CEILING. ALL WIRE SERVICES SHALL BE INSTALLED IN CONCEALED MANNER. REVENUE LOCKER ROOM LAYOUT PREPARED BY ARCHITECT AND INSTALLER TO BE INSTALLED IN 48-HOUR DRAWINGS FOR REVIEW BY OWNER AND ARCHITECT.
11.	BICYCLE SPACE NOTES: ALL BICYCLE SPACES TO COMPLY WITH TORONTO BICYCLE BY-LAW STANDARDS. PROVIDE INTERIOR DOOR AND CEILING. ALL WIRE SERVICES SHALL BE INSTALLED IN CONCEALED MANNER. REVENUE BICYCLE SPACE LAYOUT PREPARED BY ARCHITECT AND INSTALLER TO BE INSTALLED IN 48-HOUR DRAWINGS FOR REVIEW BY OWNER AND ARCHITECT.

Contractor Must Check And Verify All Dimensions On The Job.
Do Not Scale The Drawings.
All Drawings, Specifications And Related Documents Are The Copyright Of
The Architect And Shall Be Returned Upon Request.
Reproduction Of Drawings, Specifications And Related Documents
In Part Or Whole Is Forbidden Without The Architect's Written Permission.
This Drawing Is Not To Be Used For Construction Unless Signed By The Architect.
Date

KIRKOR ARCHITECTS + PLANNERS
20 Martin Road Avenue, Toronto, Ontario, M3J 2K6
Tel: (416) 566-5500, Fax: (416) 566-1225, www.kirkorarchitects.com

No.:	Revision	Date
------	----------	------

PROGRESS SET
January 11, 2016

3	Tender	Oct. 15, 2015
2	Building Permit	June 12, 2015
1	Waterfront Toronto Review	May 1, 2015

No. Issued For: _____ Date: _____

AQUAVISTA
AT BAYSIDE TORONTO

Drawing Title:
O.B.C. Floor Plans
Ontario Building Code
Compliance Diagram
Levels 11-Roof

Project:
Hines TRIDEL
AQUAVISTA
Block 3 - R3 & R4
263 Queens Quay East
Toronto, ON

As indicated
A.B.
Checked by:
C.A.
13148
January 11, 2016
Date
Drawing No. _____

A1-10