

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                                   |                                                                                                           | SPECIFICS           |                                                                                                                                                                                                           |                     | CONTACT                                                                | NOTES                                                                                                           |
|--------------------------------------|-----------|-----------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item                              | Location                                                                                                  | Manufacturer        | Model/Product #                                                                                                                                                                                           | Colour/Finish       | Supplier                                                               | Notes                                                                                                           |
| Issued for Client Review<br>16.01.15 | ACT.1     | Acoustic Ceiling Tile             | L1 Admin Office<br>L2 Typical Corridor<br>L10 Typical Corridor                                            | Armstrong           | TBD                                                                                                                                                                                                       | White               | Armstrong<br>Sarah Withey<br>C: 416.525.0003<br>swithey@armstrong.com  | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. |
| Issued for Client Review<br>16.01.15 | BS.1      | Rubber Flooring Base              | P1 Fitness Base<br>P1 Spin Studio Base<br>P1 Yoga Studio Base<br>P1 Yoga Storage Base<br>P1 A/V Room Base | Johnsonite          | Millwork Wallbase<br>Mandalay<br>MW-55-H6<br>0.375" THK x 6" H                                                                                                                                            | Light Grey          | Tarkett<br>Janet Sayers<br>C: 647.542.2514<br>janet.sayers@tarkett.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. |
| Issued for Client Review<br>16.01.15 | CPT.1     | Custom Broadloom Carpet (Accent)  | Typical Corridor Elevator Lobby                                                                           | Shaw Contract Group | TBD                                                                                                                                                                                                       | 100% Pattern        | Vifloor Canada<br>Scott Pope<br>C: 416.451.9014<br>spope@vifloor.com   | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. |
| Issued for Client Review<br>16.01.15 | CPT.2     | Custom Broadloom Carpet (Field)   | Typical Corridor                                                                                          | Shaw Contract Group | TBD                                                                                                                                                                                                       | 50% Pattern         | Vifloor Canada<br>Scott Pope<br>C: 416.451.9014<br>spope@vifloor.com   | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. |
| Issued for Client Review<br>16.01.15 | CPT.3     | Custom Broadloom Carpet (Boarder) | Typical Corridor Elevator Lobby                                                                           | Shaw Contract Group | TBD                                                                                                                                                                                                       | Dark Grey           | Vifloor Canada<br>Scott Pope<br>C: 416.451.9014<br>spope@vifloor.com   | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. |
| Issued for Client Review<br>16.01.15 | CPT.4     | Carpet Tile                       | L1 Admin Office<br>L1 Staff Room                                                                          | Shaw Contract Group | TBD                                                                                                                                                                                                       | TBD                 | TBD                                                                    | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. |
| Issued for Client Review<br>16.01.15 | CPT.5     | Broadloom Carpet                  | P1 Theatre                                                                                                | Tandus Flooring     | Broadloom<br>Style: Echo 40029<br>Color: Clay aluminum 36507<br>ASTM E-648 Class I (Direct Gluedown)<br>Smoke Generation: Less than 450 (ASTM E-662)<br>Width: 12'-6"<br>Finished Pile Height: 0.217 inch | Clay aluminum 36507 | Thomas Jackson<br>tjackson@tandus-centiva.com<br>416.768.8939          | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                          |                                                                                                                       | SPECIFICS              |                                                                                                                  |                                                              | CONTACT                                                                           | NOTES                                                                                                                                              |
|--------------------------------------|-----------|--------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item                     | Location                                                                                                              | Manufacturer           | Model/Product #                                                                                                  | Colour/Finish                                                | Supplier                                                                          | Notes                                                                                                                                              |
| Issued for Client Review<br>16.01.15 | FL.1      | Engineered Wood Flooring | L2 Billiards Room Floor<br>L2 Lounge Area Floor                                                                       | Taviane                | Azurri Enna<br>1/2" THK x 7 1/2" x 79"                                                                           | French White Oak, No Knots, Water-Based Varnish, Light Brush | Stone Tile<br>Henrietta Shenderey<br>C: 416.879.7953<br>henriettas@stone-tile.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                    |
| Issued for Client Review<br>16.01.15 | FL.2      | Pedimat                  | P1 West Vestibule<br>L1 West Lobby Vestibule<br>L1 East Lobby Vestibule<br>L2 North Corridor<br>L2 West/East Corridor | C/S Canada             | Floormations<br>Pinwheel Pattern<br>34500 Ebony<br>Recess Mounted Panels<br>1/2" - 3/4" THK x 34" MAX x 119" MAX | Aluminum, Black Carpet                                       | C/S Canada<br>T: 905.274.3611                                                     | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Install flush with adjacent floor. |
| Issued for Client Review<br>16.01.15 | FL.3      | Pedimat                  | P1 East Vestibule + P2 to P4 Vestibules                                                                               | C/S Canada             | Pedigrid G1<br>34500 Ebony                                                                                       | Aluminum, Black Carpet                                       | C/S Canada<br>T: 905.274.3611                                                     | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                    |
| Issued for Client Review<br>16.01.15 | FL.4      | Vinyl Flooring           | P1 Yoga Studio<br>P1 Spin Studio                                                                                      | Johnsonite             | Space<br>7033 Burlap CB<br>4mm THK x 500mm x 500mm                                                               | Light Brown, Burlap Texture                                  | Tarkett<br>Janet Sayers<br>C: 647.542.2514<br>janet.sayers@tarkett.com            | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                    |
| Issued for Client Review<br>16.01.15 | FL.5      | Rubber Flooring          | P1 Fitness                                                                                                            | Johnsonite             | Triumph<br>SMH-547 Cornerstone WG<br>9.5mm THK x 610mm x 610mm                                                   | Light Grey, Hammered Texture                                 | Tarkett<br>Janet Sayers<br>C: 647.542.2514<br>janet.sayers@tarkett.com            | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                    |
| Issued for Client Review<br>16.01.15 | GL.1      | Glass                    | General                                                                                                               | Contractor's Selection | Clear Starfire Glass<br>Tempered<br>10mm THK                                                                     | Clear                                                        | Contractor's Selection                                                            | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                    |
| Issued for Client Review<br>16.01.15 | GL.2      | Glass                    | P1 Changerooms Shower Doors                                                                                           | Contractor's Selection | Opaque White Laminated Glass<br>Low-Iron<br>Tempered                                                             | Opaque White                                                 | Contractor's Selection                                                            | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                    |
| Issued for Client Review<br>16.01.15 | GL.3      | Glass                    | General                                                                                                               | Contractor's Selection | Clear Starfire Glass<br>Tempered<br>12mm THK                                                                     | Clear                                                        | Contractor's Selection                                                            | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                    |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                        |                                                                                                                   | SPECIFICS              |                                                                |                                 | CONTACT                                                                      | NOTES                                                                                                                                                                                           |
|--------------------------------------|-----------|------------------------|-------------------------------------------------------------------------------------------------------------------|------------------------|----------------------------------------------------------------|---------------------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item                   | Location                                                                                                          | Manufacturer           | Model/Product #                                                | Colour/Finish                   | Supplier                                                                     | Notes                                                                                                                                                                                           |
| Issued for Client Review<br>16.01.15 | LQ.1      | Lacquer                | L1 West Elevator Lobby Art Niche Frame<br>L1 East Elevator Lobby Art Niche Frame<br>L2 Party Room Art Niche Frame | Contractor's Selection | 50% Sheen Lacquer<br>Benjamin Moore<br>Chantilly Lace<br>OC-65 | White, Satin                    | Contractor's Selection                                                       | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                                                                 |
| Issued for Client Review<br>16.01.15 | LQ.2      | Lacquer                | L2 Catering Kitchen                                                                                               | Contractor's Selection | TBD<br><br>50% Sheen Lacquer<br>Benjamin Moore                 | Light Grey, Satin               | Contractor's Selection                                                       | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                                                                 |
| Issued for Client Review<br>16.01.15 | MIR.1     | Mirror                 | L1 East Lobby Fireplace + Ceiling<br>Typical Corridor Elevator Lobby Niche Wall + Ceiling                         | NGI Designer Glass     | NGBM Bronze Satin Mirror                                       | Acid Etched Light Bronze Mirror | NGI Designer Glass<br>Nancy Bottoni<br>T: 905.738.1101<br>nancy@ngiglass.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                                                                 |
| Issued for Client Review<br>16.01.15 | MIR.2     | Mirror                 | P1 Fitness Wall<br>P1 Yoga Wall                                                                                   | Contractor's Selection | Contractor's Selection                                         | Clear Mirror                    | Contractor's Selection                                                       | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                                                                 |
| Issued for Client Review<br>16.01.15 | MTL.1     | Metal                  | General                                                                                                           | Contractor's Selection | Contractor's Selection                                         | Matte Black                     | Contractor's Selection                                                       | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Coating to be applied to prevent tarnishing as per Manufacturer's instructions. |
| Issued for Client Review<br>16.01.15 | MTL.2     | Metal Finishing Strips | L1 West Lobby Wall<br>L1 East Lobby Wall<br>Typical Elevator Lobby Wall                                           | Contractor's Selection | Contractor's Selection                                         | Matte Black                     | Contractor's Selection                                                       | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Coating to be applied to prevent tarnishing as per Manufacturer's instructions. |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |       |                                       | SPECIFICS              |                                                   |                         | CONTACT                | NOTES                                                                                                                                                                                           |
|--------------------------------------|-----------|-------|---------------------------------------|------------------------|---------------------------------------------------|-------------------------|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item  | Location                              | Manufacturer           | Model/Product #                                   | Colour/Finish           | Supplier               | Notes                                                                                                                                                                                           |
| Issued for Client Review<br>16.01.15 | MTL.3     | Metal | P1 Change Room                        | Contractor's Selection | Contractor's Selection                            | Brushed Stainless Steel | Contractor's Selection | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Coating to be applied to prevent tarnishing as per Manufacturer's instructions. |
| Issued for Client Review<br>16.01.15 | PT.1      | Paint | General Ceiling                       | Benjamin Moore         | Chantilly Lace<br>OC-65<br>Matte Ceiling Paint    | White                   | Benjamin Moore         | Provide draw downs for client and designer approval prior to installation.                                                                                                                      |
| Issued for Client Review<br>16.01.15 | PT.2      | Paint | Typical Corridor Base                 | Benjamin Moore         | Gray<br>2121-10<br>Semi-Gloss Trim Paint          | Dark Grey               | Benjamin Moore         | Provide draw downs for client and designer approval prior to installation.                                                                                                                      |
| Issued for Client Review<br>16.01.15 | PT.3      | Paint | General Concrete Floor                | Benjamin Moore         | Gray<br>2121-10<br>Matte Concrete Floor Paint     | Dark Grey               | Benjamin Moore         | Provide draw downs for client and designer approval prior to installation.                                                                                                                      |
| Issued for Client Review<br>16.01.15 | PT.4      | Paint | L1 Staff Washroom Wall                | Benjamin Moore         | TBD<br>Eggshell Washable Paint                    | TBD                     | Benjamin Moore         | Provide draw downs for client and designer approval prior to installation.                                                                                                                      |
| Issued for Client Review<br>16.01.15 | PT.5      | Paint | Janitor Closet Wall                   | Benjamin Moore         | TBD<br>Eggshell Washable Paint                    | TBD                     | Benjamin Moore         | Provide draw downs for client and designer approval prior to installation. Painter to select appropriate product for concrete application.                                                      |
| Issued for Client Review<br>16.01.15 | PT.6      | Paint | Typical Corridor Suite Entry (Accent) | Benjamin Moore         | Summer Shower<br>2135-60<br>Semi-Gloss Trim Paint | Light Blue              | Benjamin Moore         | Provide draw downs for client and designer approval prior to installation. Painter to select appropriate product for concrete application.                                                      |
| Issued for Client Review<br>16.01.15 | PT.7      | Paint | L2 Billiards Room Base                | Benjamin Moore         | TBD<br>Eggshell Washable Paint                    | TBD                     | Benjamin Moore         | Provide draw downs for client and designer approval prior to installation. Painter to select appropriate product for concrete application.                                                      |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                                            |                                                                                             | SPECIFICS      |                                                            |                                          | CONTACT                                                              | NOTES                                                                                                                                      |
|--------------------------------------|-----------|--------------------------------------------|---------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------|------------------------------------------|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item                                       | Location                                                                                    | Manufacturer   | Model/Product #                                            | Colour/Finish                            | Supplier                                                             | Notes                                                                                                                                      |
| Issued for Client Review<br>16.01.15 | PT.8      | Paint                                      | L1 Admin Office Base<br>L1 Staff Room Base<br>Parcel Room Base                              | Benjamin Moore | TBD<br>Eggshell Washable Paint                             | TBD                                      | Benjamin Moore                                                       | Provide draw downs for client and designer approval prior to installation. Painter to select appropriate product for concrete application. |
| Issued for Client Review<br>16.01.15 | PT.9      | Paint                                      | L1 Mail Room Base<br>L1 Staff Corridor Base<br>L1 CACF Corridor Base                        | Benjamin Moore | TBD<br>Eggshell Washable Paint                             | TBD                                      | Benjamin Moore                                                       | Provide draw downs for client and designer approval prior to installation. Painter to select appropriate product for concrete application. |
| Issued for Client Review<br>16.01.15 | PT.10     | Paint                                      | L1 Parcel Room Wall<br>P1 Yoga Storage Wall<br>P1 A/V Room Wall<br>L1 Admin Office Closet   | Benjamin Moore | TBD<br>Eggshell Washable Paint                             | TBD                                      | Benjamin Moore                                                       | Provide draw downs for client and designer approval prior to installation. Painter to select appropriate product for concrete application. |
| Issued for Client Review<br>16.01.15 | PT.11     | Paint                                      | L1 East Lobby Vestibule<br>Concrete Column                                                  | Benjamin Moore | TBD<br>Eggshell Washable Paint                             | TBD                                      | Benjamin Moore                                                       | Provide draw downs for client and designer approval prior to installation. Painter to select appropriate product for concrete application. |
| Issued for Client Review<br>16.01.15 | PT.12     | Paint                                      | P1 East Vestibule Elevator<br>Surround + P2 to P4 Vestibule<br>Elevator Surrounds           | Benjamin Moore | TBD<br>Eggshell Washable Paint                             | TBD                                      | Benjamin Moore                                                       | Provide draw downs for client and designer approval prior to installation. Painter to select appropriate product for concrete application. |
| Issued for Client Review<br>16.01.15 | PT.13     | Paint                                      | P1 West Vestibule Elevator<br>Frame<br>L1 Elevator Frame<br>Typical Corridor Elevator Frame | Benjamin Moore | TBD<br>Eggshell Washable Paint                             | TBD                                      | Benjamin Moore                                                       | Provide draw downs for client and designer approval prior to installation. Painter to select appropriate product for concrete application. |
| Issued for Client Review<br>16.01.15 | SP.1      | Cast Mineral<br>Dimensional Wall<br>Panels | P1 + L1 Stair 'L' Feature Wall                                                              | Modulararts    | InterlockingRock Panels<br>Burle<br>1" THK MAX x 32" x 32" | High Density, Glass<br>Reinforced Gypsum | Modulararts<br>April Tate<br>T: 206.788.4210<br>info@modulararts.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                            |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |                           |        |                                                                                                           | SPECIFICS               |                                      |                     | CONTACT                                                                                    | NOTES                                                                                                                                                                        |
|--------------------------------------|---------------------------|--------|-----------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------------|---------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference                 | Item   | Location                                                                                                  | Manufacturer            | Model/Product #                      | Colour/Finish       | Supplier                                                                                   | Notes                                                                                                                                                                        |
| Issued for Client Review<br>16.01.15 | ST.1                      | Stone  | L1 West Lobby Wall<br>L1 East Lobby Wall<br>P1 Walls                                                      | Ciot                    | Bianco Ecru<br>3/4" THK x 62" x 128" | White, Polished     | Ciot<br>Aaron Huynh<br>C: 416.797.1173<br>ahuynh@ciot.com                                  | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Slab selection to be approved by designer prior to purchase. |
| Issued for Client Review<br>16.01.15 | ST.2                      | Stone  | L1 West Lobby Base<br>L1 East Lobby Base<br>Typical Corridor Elevator<br>Lobby Surround & Base<br>P1 Base | Olympia Tile + Stone    | Wallace Creek<br>3/4" THK            | Black, Honed        | Olympia Tile + Stone<br>Krista Carvlho<br>C: 416.856.9315<br>krista@olympiatile.com        | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Slab selection to be approved by designer prior to purchase. |
| Issued for Client Review<br>16.01.15 | ST.3                      | Stone  | Typical Corridor Elevator<br>Lobby Wall for Level 2 + Level 12 Only                                       | Crystal Tile and Marble | Panna, Onyx<br>3/4" THK              | Cream, Polished     | Crystal Tile and Marble<br>Angela Cozzi<br>C: 416.509.4104<br>angela@crystaltilemarble.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Slab selection to be approved by designer prior to purchase. |
| Issued for Client Review<br>16.01.15 | ST.4                      | Stone  | L1 West Lobby Feature Stair<br>Tread + Riser                                                              | Ciot                    | Bianco Ecru<br>3/4" THK x 62" x 128" | White, Honed        | Ciot<br>Aaron Huynh<br>C: 416.797.1173<br>ahuynh@ciot.com                                  | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Slab selection to be approved by designer prior to purchase. |
| Issued for Client Review<br>16.01.15 | ST.5                      | Quartz | L1 Washroom Vanity<br>L2 Washroom Vanity<br>L1 Kitchen<br>L2 Kitchen                                      | Caesarstone             | Caesarstone<br>Raven<br>4120         | Dark Grey, Polished | Caesarstone<br>Michelle Greco<br>C: 416.476.6949<br>mgreco@caesarstone.ca                  | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Slab selection to be approved by designer prior to purchase. |
| Issued for Client Review<br>16.01.15 | ST.6<br><br>*Same as ST.1 | Stone  | L2 Lounge Area Wall<br>Billiards Room Wall                                                                | Ciot                    | Bianco Ecru<br>3/4" THK x 62" x 128" | White, Polished     | Ciot<br>Aaron Huynh<br>C: 416.797.1173<br>ahuynh@ciot.com                                  | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Slab selection to be approved by designer prior to purchase. |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                           |                                                                                                                         | SPECIFICS            |                                                                           |                     | CONTACT                                                                              | NOTES                                                                                                                                                                                          |
|--------------------------------------|-----------|---------------------------|-------------------------------------------------------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item                      | Location                                                                                                                | Manufacturer         | Model/Product #                                                           | Colour/Finish       | Supplier                                                                             | Notes                                                                                                                                                                                          |
| Issued for Client Review<br>16.01.15 | ST.7      | Stone                     | Lounge Area Bar                                                                                                         | Ciot                 | Precious Artic Crystal<br>3/4" THK x 60" x 116"                           | White, Honed        | Ciot<br>Aaron Huynh<br>C: 416.797.1173<br>ahuynh@ciot.com                            | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Slab selection to be approved by designer prior to purchase.                   |
| Issued for Client Review<br>16.01.15 | ST.8      | Quartz                    | P1 Change Room Vanity                                                                                                   | Olympia Tile + Stone | Quarella Quartz<br>Gris Antracite, Polished<br>QR.QQ.GAN.SLAB.3CM         | Dark Grey, Polished | Olympia Tile + Stone<br>Krista Carvalho<br>C: 416.856.9315<br>krista@olympiatile     | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Slab selection to be approved by designer prior to purchase.                   |
| Issued for Client Review<br>16.01.15 | TL.1      | Porcelain Tile            | L1 West Lobby Floor<br>L1 East Lobby Floor<br>L2 North Corridor Floor<br>L2 Washroom Floor<br>L2 Catering Kitchen Floor | STI Stones & More    | Burlington White<br>24" x 48"                                             | Light Grey, Natural | Stone Tile<br>Henrietta Shenderey<br>C: 416.879.7953<br>henriettas@stone-tile.com    | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                                                                |
| Issued for Client Review<br>16.01.15 | TL.2      | Glazed Ceramic Tile       | L1 Washroom Vanity Wall<br>L2 Washroom Vanity Wall<br>L2 Catering Kitchen Wall                                          | Mutina               | Ceramica<br>Grigio Medio<br>5.3cm x 19.8cm                                | Light Grey, Gloss   | Stone Tile<br>Henrietta Shenderey<br>C: 416.879.7953<br>henriettas@stone-tile.com    | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                                                                |
| Issued for Client Review<br>16.01.15 | TL.3      | Unglazed Porcelain Mosaic | Garbage Room Floor<br>Janitor Closet Floor                                                                              | Olympia Tile + Stone | Quebec Series<br>Bone FS<br>OD.QC.BON.0202.FS<br>2" x 2"                  | Light Taupe, Matte  | Olympia Tile + Stone<br>Krista Carvalho<br>C: 416.856.9315<br>krista@olympiatile.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Refer to elevations and wall finish plan for location of 2" cove base (CB2X2). |
| Issued for Client Review<br>16.01.15 | TL.4      | Porcelain Tile            | Garbage Room Wall<br>Janitor Closet Wall                                                                                | Olympia Tile + Stone | Quebec Series<br>Bone FS, Unglazed Mosaic<br>OD.QC.BON.0202.FS<br>2" x 2" | Light Taupe, Matte  | Olympia Tile + Stone<br>Krista Carvalho<br>C: 416.856.9315<br>krista@olympiatile     | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                                                                |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                       |                                                                  | SPECIFICS            |                                                                                                    |                       | CONTACT                                                                              | NOTES                                                                                                                                                                                           |
|--------------------------------------|-----------|-----------------------|------------------------------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item                  | Location                                                         | Manufacturer         | Model/Product #                                                                                    | Colour/Finish         | Supplier                                                                             | Notes                                                                                                                                                                                           |
| Issued for Client Review<br>16.01.15 | TL.5      | Porcelain Mosaic Tile | P1 Change Room Floor + Base                                      | British Ceramic Tile | Belvedere Graphite, Matte<br>30mm x 30mm<br>(30cm x 30cm Sheet)                                    | Dark Grey, Matte      | Stone Tile<br>Henrietta Shenderey<br>C: 416.879.7953<br>henriettas@stone-tile.com    | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                                                                 |
| Issued for Client Review<br>16.01.15 | TL.6      | Porcelain Tile        | P1 Change Room Wall (Main)                                       | Stone Peak           | Plane Extra Vena, Polished<br>15" x 30"                                                            | White, Polished       | Division 9<br>Mary Kouros<br>C: 647.295.2834<br>mkouros@division9.ca                 | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure tile is sealed appropriately for wet area.                               |
| Issued for Client Review<br>16.01.15 | TL.7      | Stone Mosaic Tile     | P1 Change Room Vanity Wall, Shower Wall & Ceiling (Accent)       | Olympia Tile + Stone | Boutique Collection Design AML<br>Mosaic Bianco Statuario<br>Random Finish<br>GM.B.STAT.0,4x1,6.RF | White, Random Finish  | Olympia Tile + Stone<br>Krista Carvalho<br>C: 416.856.9315<br>krista@olympiatile     | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions.                                                                                 |
| Issued for Client Review<br>16.01.15 | TL.8      | Porcelain Tile        | P1 Whirlpool Wall (Main)<br>L1 Kitchen<br>L1 Parcel              | Stone Peak           | Plane Extra Vena, Polished<br>60" x 120"                                                           | White, Polished       | Division 9<br>Mary Kouros<br>C: 647.295.2834<br>mkouros@division9.ca                 | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure tile is sealed appropriately for wet area.                               |
| Issued for Client Review<br>16.01.15 | WC.1      | Vinyl Wallcovering    | Typical Corridor Wall                                            | Woeller              | Tau Dove<br>7338                                                                                   | Light Warm Grey Linen | Woeller Textiles<br>Irene Lesiak<br>C: 416.720.4002<br>ilesniak@woeller.com          | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WC.2      | Vinyl Wallcovering    | L1 Washroom Wall<br>L2 Washroom Wall<br>L2 Catering Kitchen Wall | Genon                | Asian Linen<br>Grey Rock<br>W2-AW-04                                                               | Dark Grey Linen       | Crown Wallpaper & Fabrics<br>Diane Neville<br>C: 416.726.1927<br>dneville@crowal.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                    |                                                  | SPECIFICS    |                 |                    | CONTACT                                                                              | NOTES                                                                                                                                                                                           |
|--------------------------------------|-----------|--------------------|--------------------------------------------------|--------------|-----------------|--------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item               | Location                                         | Manufacturer | Model/Product # | Colour/Finish      | Supplier                                                                             | Notes                                                                                                                                                                                           |
| Issued for Client Review<br>16.01.15 | WC.3      | Vinyl Wallcovering | Garbage Room Wall                                | TBD          | TBD             | TBD                | TBD                                                                                  | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WC.4      | Vinyl Wallcovering | L2 Billiards Room Wall                           | TBD          | TBD             | TBD                | TBD                                                                                  | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WC.5      | Vinyl Wallcovering | L2 North Corridor Wall                           | Vescom 03    | Zegreb 797.17   | Dark Grey Textured | Metro Wallcoverings<br>Joanne Pringle<br>C: 416.529.4240<br>jpringle@rjfn.net        | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WC.6      | Vinyl Wallcovering | P1 East Vestibule Wall + P2 to P4 Vestibule Wall | Versa        | Aura A166-895   | Grey Patterned     | Crown Wallpaper & Fabrics<br>Diane Neville<br>C: 416.726.1927<br>dneville@crowal.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WC.7      | Vinyl Wallcovering | L1 Admin Office Wall + L1 Staff Room Wall        | TBD          | TBD             | TBD                | TBD                                                                                  | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                                 |                                                                                                                                                              | SPECIFICS    |                                                                                                                                                                                                 |                                    | CONTACT                                                                          | NOTES                                                                                                                                                                                           |
|--------------------------------------|-----------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item                            | Location                                                                                                                                                     | Manufacturer | Model/Product #                                                                                                                                                                                 | Colour/Finish                      | Supplier                                                                         | Notes                                                                                                                                                                                           |
| Issued for Client Review<br>16.01.15 | WC.8      | Vinyl Wallcovering              | L1 Mail Room Wall<br>L1 Staff Corridor Wall<br>L1 CACF Corridor Wall<br>P1 Amenity Corridor Wall<br>P1 Change Room Vestibule Wall<br>P1 Change Room W/C Wall | TBD          | TBD                                                                                                                                                                                             | TBD                                | TBD                                                                              | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WC.9      | Custom Vinyl Wallcovering Mural | P1 Spin Studio Wall                                                                                                                                          | TBD          | TBD                                                                                                                                                                                             | TBD                                | TBD                                                                              | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WC.10     | Felt Wallcovering               | P1 Theatre                                                                                                                                                   | FilzFelt     | 5mm Wool Design Felt<br>150 Weib<br>180cm W, no backing, 100% merino wool<br>*Pre cut strips in 200mm lengths.<br>Bottom strip at base to be site cut to fit +/-300mm. Refer to details ID9.14  | Light Beige                        | Diane Neville<br>c: 416.726.1927<br>dneville@crowal.com                          | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WC.11     | Felt Wallcovering               | P1 Theatre                                                                                                                                                   | FilzFelt     | 5mm Wool Design Felt<br>160 Beige<br>180cm W, no backing, 100% merino wool<br>*Pre cut strips in 200mm lengths.<br>Bottom strip at base to be site cut to fit +/-300mm. Refer to details ID9.14 | Beige                              | Joanne Pringle<br>c: 416.529.4240<br>jpringle@rjfn.net                           | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WD.1      | Natural Wood Laminate           | L1 West Lobby Ceiling<br>P1 Fitness Ceiling                                                                                                                  | Oberflex     | Ash FR 112 Flowered, Relief                                                                                                                                                                     | Bleached White Oak for Taupe Stain | Ober S.A.<br>Gaëlle de Puniet<br>C: 917.952.1926<br>gaelle.depuniet@oberflex.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                       |                                                                                                                                | SPECIFICS              |                            |                                                                     | CONTACT                                                                          | NOTES                                                                                                                                                                                           |
|--------------------------------------|-----------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------|----------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item                  | Location                                                                                                                       | Manufacturer           | Model/Product #            | Colour/Finish                                                       | Supplier                                                                         | Notes                                                                                                                                                                                           |
| Issued for Client Review<br>16.01.15 | WD.2      | Wood                  | Typical Elevator Lobby Wall for Level 3 to Level 11 Only + Typical Corridor Suite Entry + Wood Ceiling for Level 2 to Level 12 | Contractor's Selection | Contractor's Selection     | Cerused Bleached White Oak for Taupe Stain to Match Designer Sample | Contractor's Selection                                                           | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WD.3      | Wood                  | L1 West Lobby Feature Stair<br>P1 Fitness Wall<br>P1 Yoga Wall<br>L1 West Lobby Concierge                                      | Contractor's Selection | Contractor's Selection     | Bleached White Oak for Taupe Stain to Match WD.1                    | Contractor's Selection                                                           | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WD.4      | Natural Wood Laminate | L2 Ceiling (Black)                                                                                                             | Oberflex               | Ash FR 101 Flowered, Matte | Bleached White Oak for Black Stain                                  | Ober S.A.<br>Gaëlle de Puniet<br>C: 917.952.1926<br>gaelle.depuniet@oberflex.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WD.5      | Natural Wood Laminate | L2 Lounge Area Ceiling (White)<br>L2 Billiards Room Ceiling<br>L2 Bar                                                          | Oberflex               | White Astrakan Oak, Matte  | Bleached White Oak for White Stain                                  | Ober S.A.<br>Gaëlle de Puniet<br>C: 917.952.1926<br>gaelle.depuniet@oberflex.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |
| Issued for Client Review<br>16.01.15 | WD.6      | Wood                  | L2 Party Room Wall (Black)                                                                                                     | Contractor's Selection | Contractor's Selection     | Bleached White Oak for Black Stain to Match WD.4                    | Contractor's Selection                                                           | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |

14008 AQUAVISTA: FINISH SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

|  |          |
|--|----------|
|  | RESERVED |
|  | REVISION |
|  | TBD      |



| ITEM                                 |           |                        |                     | SPECIFICS    |                                        |                                       | CONTACT                                                                                   | NOTES                                                                                                                                                                                           |
|--------------------------------------|-----------|------------------------|---------------------|--------------|----------------------------------------|---------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issue/Date                           | Reference | Item                   | Location            | Manufacturer | Model/Product #                        | Colour/Finish                         | Supplier                                                                                  | Notes                                                                                                                                                                                           |
| Issued for Client Review<br>16.01.15 | WD.7      | Textured Wood Melamine | L2 Catering Kitchen | Gruppo Frati | I.T. Series<br>Frati 17 Olmo<br>Medusa | Bleached White Oak for<br>Taupe Stain | Mercury Wood Products<br>Kevin Humphries<br>C: 416.822.1004<br>khumphries@mercurywood.com | Provide sample for designer approval prior to proceeding with work. Install as per Manufacturer's instructions. Ensure product is treated appropriately to meet OBC flame spread specifications |