

14008 AQUAVISTA: LIGHTING SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS				CONTACT		NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp Type	Colour/Finish	Supplier	Contact	Notes
Issued for Client Review 16.01.15	L.1A 	Round recessed adjustable downlight	L1 East Lobby L1 West Lobby L2 Party Room Fitness Room	Intra Lighting	PIPES RV S LED 17W 450mA IP20 13.0540.1110.1 24 degree beam spread	LED 3000K, 120V	White	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.1B *Similar to above but in black	Round recessed adjustable downlight	L2 Dining Area	Intra Lighting	PIPES RV S LED 17W 450mA IP20 13.0540.1110.2 24 degree beam spread	LED 3000K, 120V	Black	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.2A 	Square Recessed Adjustable Trimless (Narrow Flood)	L1 East Lobby L1 West Lobby L2 Billiards Room	Intra Lighting	Hunter Spot R1 1U3.1121.8111.1 LED Driver Supplied New Construction Housing 24 degree beam spread	1 x 18W LED, 3000K, 120V	Black housing	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.2B 	Square Recessed Adjustable Trimless (Flood)	L1 East Lobby L1 West Lobby P1 Level	Intra Lighting	Hunter Spot R1 1U3.1121.8111.1 LED Driver Supplied New Construction Housing 40 degree beam spread	1 x 18W LED, 3000K, 120V	Black housing	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.3 	Recessed Adjustable Trimless	L2 Party Room	Intra Lighting	Hunter Spot R1 1U3.1122.8111.1 LED Driver Supplied New Construction Housing	2 x 18W LED, 3000K, 120V	Black housing	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.4A 	Linear recessed adjustable trimless	East Lobby	Intra Lighting	3HF HFS RI 2856mm/2 3.1381.8211.2 Hunter Flex RI-LED 26W 3000K 24 degree DEB-DALI black (qty: 5) 3.1320.0000.2 Hunter Flex RI Filler black 980mm (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 6.14)	26W LED 3000K Total system consumption: 170.00 W	Black housing	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.4B 	Linear recessed adjustable trimless	East Lobby	Intra Lighting	3HF HFS RI 3996mm/2 3.1381.8211.2 Hunter Flex RI-LED 26W 3000K 24 degree DEB-DALI black (qty: 6) 3.1320.0003.2 Hunter Flex RI Filler 600 black (qty: 2) 3.1320.0000.2 Hunter Flex RI Filler black 865mm (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 8.42)	26W LED 3000K Total system consumption: 204.00 W	Black housing	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS				CONTACT		NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp Type	Colour/Finish	Supplier	Contact	Notes
Issued for Client Review 16.01.15	L.4C 	Linear recessed adjustable trimless	West Lobby	Intra Lighting	3HF HFS RI 3074mm/2 3.1381.8211.2 Hunter Flex RI-LED 26W 3000K 24 degree DEB-DALI black (qty: 5) 3.1320.0003.2 Hunter Flex RI Filler black 489 (qty: 2) 3.1320.0000.2 Hunter Flex RI Filler 600 black (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 6.58)	26W LED 3000K Total system consumption: 170.00 W	Black housing	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.4D 	Linear recessed adjustable trimless	Party Room	Intra Lighting	3HF HFS RI 3666mm/2 3.1381.8211.2 Hunter Flex RI-LED 26W 3000K 24 degree DEB-DALI black (qty: 6) 3.1320.0003.2 Hunter Flex RI Filler 600 black (qty: 2) 3.1320.0000.2 Hunter Flex RI Filler black 700mm (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 7.76)	26W LED 3000K Total system consumption: 204.00 W	Black housing	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.4E 	Linear recessed adjustable trimless	West Lobby	Intra Lighting	3HF HFS RI 3074mm/2 3.1381.8111.2 Hunter Flex RI-LED 16W 3000K 24 degree DEB-DALI black (qty: 5) 3.1320.0003.2 Hunter Flex RI Filler black 489 (qty: 2) 3.1320.0000.2 Hunter Flex RI Filler 600 black (qty: 2) 3.1320.0000.0 Hunter Flex RI Frame (qty: 6.58)	16W LED 3000K Total system consumption: 170.00 W	Black housing	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.5 	Round recessed downlight	L2 W/C Janitors closet Kitchen P levels	Jesco Lighting	JESCO RLR-5612-30-WH/WH-JB 5" & 6" AC LED downlight with integral junction box New construction housing	120V, LED 12.8W, 3000K	White baffle & white trim	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.6	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.7 	2' x 4' LT LED Troffer	L1 BOH	H.E. Williams	2' x 4' LT LED Troffer LT-24-L30/830-AF-120	1 X 29W LED, 3000K, 120V	White Powder Coat, Frosted Acrylic Diffuser	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.8 	Cove Light	Throughout	Jesco Lighting	Infina DL-AC-FLEX-30 7/8" W x 1/4" H	120V, 4.95 W per ft., 3000K	N/A	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.



14008 AQUAVISTA: LIGHTING SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS				CONTACT		NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp Type	Colour/Finish	Supplier	Contact	Notes
Issued for Client Review 16.01.15	L.9 	Custom Chandelier	L1 Mailroom	Gabriel Scott	Gabriel Scott Welles Long Chandelier 12'-0" L x 12" H (MAX)	15W E-12	Blackened Steel Exterior, Satin Brass Interior	Gabriel Scott	Gabriel Scott Studio & Head Office info@gabriel-scott.com 646.783.3770	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.10  *Same as L.14	Wall mounted picture light	P1 Fitness, Yoga & Spinning Room	Dana Lite	Linear T5 Fluorescent Sign/Display 2" Round Canopy Solo Fixture DF2S-2R12-BLF 24" W	24W T5 Fluorescent, 120V, 3000K	Black	Salex	Rohan Periana rperiana@salex.ca 416.457.6432	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.11A 	Linear recessed adjustable fixture	P1 Fitness & Spinning Room	Intra Lighting	Recessed architectural linear LED luminaire GYON LEDplus R GL 2700 HO 830 FO Code: 13.6113.6138.1	LED 3000K Power supply: 120-277V 60 Hz	Black trim	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.11B 	Linear recessed adjustable fixture	P1 Yoga Room	Intra Lighting	Recessed architectural linear LED luminaire GYON LEDplus R GL 1800 HO 830 FO Code: 13.6113.6135.1	LED 3000K Power supply: 120-277V 60 Hz	Black trim	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.12 	Chandelier	L1 East Elevator Lobby, L1 West Elevator Lobby, Typical East Elevator Lobby, Typical West Elevator Lobby	Bethel International	Custom chandelier to match inspiration image Model: MA22TLCUSTL.12 48" Dia x 17.5" H (MAX) Steel structure 1 yr. warranty	14/2W/G9 LED 28W, 120V	Light bronze (to match designer's sample) with white frosted glass diffuser	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.13 	LED light strip	P1 L2 Catering Kitchen	Green Image Tech	GS-50-NFX3D-24V-WW C/W GIT-P3-03 Suspended linear lighting housing (2500mm long profile x 8mm H x 23.2mm W, frosted cover)	48W LED, 3000K, 240V	N/A	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.14  *Same as L.10	Wall mounted picture light	P1 Fitness Yoga Spinning Room	Dana Lite	Linear T5 Fluorescent Sign/Display 2" Round Canopy Solo Fixture DF2S-2R12-BLF	24W T5 Fluorescent, 120V, 3000K	Black	Salex	Rohan Periana rperiana@salex.ca 416.457.6432	Install as per manufacturer's instructions.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS				CONTACT		NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp Type	Colour/Finish	Supplier	Contact	Notes
Issued for Client Review 16.01.15	L.15 	Linear Suspended Fixture	L1 Admin Office Meeting Room	Tech Lighting	Knox Linear Suspension 700LSKNOXB-LED	40W LED, 120V, 3000K	Black	TPL Lighting	Mike Hamilton mike@tpllighting.com 416.538.8989	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.16 	Pendant	L2 Billiards Room	Bethel International	Custom chandelier to match inspiration image 25" W x 58" L x 28" H stem 1 yr. warranty To be installed on a dimmer	76.8 W, 3000K	Light bronze (to match designer's sample) with white frosted glass diffuser	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.17 	Chandelier	L2 Party Room	Bethel International	Custom chandelier to match inspiration image Model: BB.08.03 CUSTL 33" D x 90" W x 20" H c/w 34" H stem 1 yr. warranty To be installed on a dimmer	8/ 40W/ E12 320W, 120V	Light bronze (to match designer's sample) & clear glass	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.18 	Chandelier	L2 Dining Area	Bethel International	Custom chandelier to match inspiration image Model: BBHORUSCUSTL 70.86" L x 59.05" W x 7.87" H Stem to be 34" L 1 yr. warranty To be installed on a dimmer	14/ 40W/ E12 560W, 120V	Blackened steel, light bronze (to match designer's sample) & clear glass	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.19 	Wet Rated LED Strip Light	L2 Steam Room, Sauna	Green Image Tech	GS-50-NFX3D-24V-WW	48W LED, 3000K, 240V	N/A	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.20 	Square Recessed Flush Mount Wall Wash Fixture	Typical East Elevator Lobby Typical West Elevator Lobby	Aculux	LED Recessed Adjustable 3-5/8" Square Aperture IC49LSQ-830-S 439SQWHZ-FM Flush Mount	20W LED, 120V, 3000K	Wheat Haze Reflector	Salex	Rohan Periana rperiana@salex.ca 416.457.6432	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.21 	Round LED Recessed downlight	Typical corridors throughout	Jesco Lighting	JESCO RLR-4110-JB NWCONSTRUCTION	10 watt LED 120volt	White baffle & white trim straight downlight	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS				CONTACT		NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp Type	Colour/Finish	Supplier	Contact	Notes
Issued for Client Review 16.01.15	L.22A 	Horizontal mount wall sconce	Typical Suite Entry	Bethel International	Custom horizontal wall mounted sconce to match inspiration image Model: ZAZ -20.5CUSTL 20" L x 3" H x 3" projection 1 yr. warranty	17/ 1W/ LED120V	Light bronze (to match designer's sample) with white frosted glass diffuser	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.22B 	Vertical mount wall sconce	Typical east elevator lobby Typical west elevator lobby	Bethel International	Custom horizontal wall mounted sconce to match inspiration image Model: ZAZ -40.5CUSTL 40" H x 3" D x 3" projection 1 yr. warranty	17/ 1W/ LED120V	Light bronze (to match designer's sample) with white frosted glass diffuser	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.23 	Pendant	L2 North Corridor	Bethel International	Custom chandelier to match inspiration image Model: AA 01-12CUSTL 18" H x 25" Dia. 1 yr. warranty Structure made from machined aluminum	12/ 25W/ E17 120V, 300W	Light bronze (to match designer's sample) with white frosted glass diffuser	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.24 	Wet rated round recessed downlight	P1 Change room showers	SLV Lighting	Cupola 1701181U-WH New construction housing 701401U	1x 8W LED GU5.3 MR16, 3000K 793412U	WH (White)	TPL Lighting	Mike Hamilton mike@tpllighting.com 416.538.8989	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.25 	Wet rated round surface mounted fixture	P1 Sauna	LEDS-C4	Cosmos 15-9362-34-37U	x1, 75W MAX E26, 3000K, 12V	Grey	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.26	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.28 	Pendant	L1 Est and West Entrance Vestibule	Bethel International	Custom chandelier to match inspiration image 40" H x 47" Dia Rod/stem to be 12" L. Canopy and rod to be in the same finish	120V, 160W LED 3000K	Light bronze (to match designer's sample) with white frosted glass diffuser	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.

14008 AQUAVISTA: LIGHTING SPECIFICATIONS

ISSUED FOR CLIENT REVIEW 16.01.15

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS				CONTACT		NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Lamp Type	Colour/Finish	Supplier	Contact	Notes
Issued for Client Review 16.01.15	L.29 	Surface mount fixture	Parking levels	Tech Lighting	Finch Flush Mount Ceiling Light 700FMFIN-R-Z-LED830 12" Dia x 2.1" H Weight: 5.11 LB	LED 3000K 80 CRI 120V 29 watt, 1230 net lumen	Antique Bronze	TPL Lighting	Mike Hamilton mike@tpllighting.com 416.538.8989	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.30 	Wall sconce	P1 Stair	LEDS-C4	BEND 05-4394-78-M1U	2 x 4,5W, 3000K, 120V	White	Chela	Mirsad Burina Info@chela.ca 647.539.6372	Install as per manufacturer's instructions.
Issued for Client Review 16.01.15	L.31 	In-floor uplights	Floor around the P1 feature stair	Castaldi Lighting	D44 tellux D44K/T13LWWNB 148mm dia. above ground x 93mm D x 170 dia. at base	LED 4.4W 3000K Output: 237 lm	Sandblasted stainless steel	D2S	Tony Lo lopes-lo@sympatico.ca 416.319.8878	Install as per manufacturer's instructions.