

DOOR AND FRAME SCHEDULE – LEVEL 5

DOOR NUMBER	NUMBER OF DOOR PANELS	WIDTH	HEIGHT	THICKNESS	DOOR			FRAME			FIRE RATING			TEMPERATURE RISE LABEL	Panic Hardware	Self Closure	Threshold	Insulated	Weather Stripping
					Door Type	Panel Material	Panel Finish	Frame Type	Frame Material	Frame Finish	Fire Rating (Door)	Fire Rating (Wall)	Fire Rating (Label)						
5-10	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-11	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-12	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-13	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-14	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-15	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-16	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-17	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-18	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-19	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-20	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-21	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-22	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-23	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-24	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-25	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-26	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-27	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-28	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-29	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-30	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-31	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-32	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-33	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-34	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-35	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-36	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-37	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-38	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-39	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-40	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-41	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-42	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-43	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-44	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-45	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-46	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-47	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-48	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-49	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-50	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-51	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-52	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-53	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-54	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-55	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-56	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-57	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-58	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-59	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-60	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-61	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-62	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-63	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-64	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-65	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-66	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-67	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-68	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-69	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-70	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-71	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-72	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-73	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-74	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-75	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-76	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-77	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-78	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-79	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-80	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-81	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-82	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-83	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-84	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-85	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-86	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-87	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-88	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-89	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-90	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-91	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-92	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-93	2	750	2150	45	A2	180	PT-18	F1	HW	PT-18	90 MIN	2 HR	1	1	1	1	1	1	1
5-94	2	750	2150	45															

Notes:

- 1. CONTRACTOR AND ALL SUB-TRADES SHALL VERIFY ALL SITE DIMENSIONS, ALL DRAWINGS, DETAILS AND DIMENSIONS. THE CONTRACTOR SHALL REPORT ANY DISCREPANCIES TO THE INTERIOR DESIGNERS IN WRITING FOR APPROVAL BEFORE PROCEEDING WITH THE WORK.**
- 2. CONTRACTOR AND SUB-CONTRACTORS, BEFORE PROCEEDING WITH WORK, MUST SUBMIT ALL NECESSARY SAMPLES FOR APPROVAL OF QUALITY AND FINISH TO THE INTERIOR DESIGNER.**
- 3. CONTRACTOR MUST COMPLY WITH THE CONTRACT DOCUMENTS, PERFORMANCE REQUIREMENTS, APPLICABLE CODES AND REGULATIONS.**
- 4. ALL DRAWINGS AND WRITTEN MATERIAL HEREIN IS THE PROPERTY OF THE INTERIOR DESIGNER. THE WORK OF "I BY I DESIGN ASSOCIATES INC." AND MAY NOT BE DUPLICATED, USED OR DISCLOSED WITHOUT THE PRIOR WRITTEN PERMISSION OF "I BY I DESIGN ASSOCIATES INC."**
- 5. DRAWINGS NOT TO BE SCALED**

Issue:	
07 ISSUED FOR TENDER	16.03.18

[illegible]

Hines TRIDEL®

AQUAVISTA
AT BAYSIDE TORONTO

1 EDGEWATER DRIVE, TORONTO ONTARIO

77 MOWAT AVENUE, SUITE 109
TORONTO, ONTARIO M6K 3E5 - CANADA
T + 1 416 531 2224

12 DESBROSSES STREET
NEW YORK, NEW YORK 10013 - USA
T + 1 212 392 4952

Drawing Title:
DOOR SCHEDULE

Our Project Number: 14008	
Designed By: DM,KR,VW,SG	Detailed By: DM,KR,VW,SG,BP
Drawing Number:	

ID10.1