






14008 AQUAVISTA: PLUMBING SPECIFICATIONS

ISSUED FOR SI #04 18.03.07

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Colour/Finish	Supplier	Notes
Issued for Tender 16.03.18	PL.1	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.2A 	Handshower with Slide Bar	P1 Change Room	American Standard	Moments Wand Style Handshower with Slide Bar 1662.605.002/1660.400.002 Boulevard Pressure Balance Valve + Trim Kit T431.500.002/R110SS Boulevard Diverter Trim Kit T431.430.002/R420	Polished Chrome	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.2B 	Wall Mount Rain Shower Head	P1 Change Room	American Standard	8"DIA Modern Rain Shower Head 1660.682.002 12"L Wall Mount Right Angle Shower Arm 1660.194.002	Polished Chrome	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.3 	Single-Hole Touchless Faucet	P1 Change Room L1 W/C L2 W/C	Toto	Helix EcoPower Faucet TEL115 Series 0.5gpm Aerated Flow	Polished Chrome (CP)	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.4 	Floor Mount Touchless 2 Piece Elongated Toilet with Seat	L1 W/C L2 W/C	American Standard	Studio Activate Concealed Trapway Right Height Elongated Toilet w/ Touchless Flush Activation (Battery Powered) 2794.119	Vitreous China White	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.5 	Wall Mount Urinal with Touchless Flushometer	P1 Change Room	American Standard	Decorum 0.125GPF High Efficiency Urinal Top Spud 6042.00IEC Sloan Royal Optima Concealed Touchless Flushometer 195-0.5 ES-S	Vitreous China White	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.








14008 AQUAVISTA: PLUMBING SPECIFICATIONS

ISSUED FOR SI #04 18.03.07

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Colour/Finish	Supplier	Notes
Issued for Construction 17.06.19	PL.6 	Coat Hook	P1 Change Room L1 W/C L2 W/C	Kohler	Purist Robe Hook K-14443-CP	Polished Chrome	Kohler Cynthia Kilfeather cynthia.kilfeather@kohler.com C: 647.822.5489	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.7 	Double Bowl Under Counter Sink	L2 Catering Kitchen	Kindred	Steel Queen Double Bowl Under Counter Sink QDUA1831/8	Stainless Steel	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Construction 17.06.19	PL.8 	Single Bowl Under Counter Sink	L1 Admin Office Kitchen L1 Staff Room Kitchen L2 Lounge Area Bar	Kindred	Steel Queen Single Bowl Under Counter Sink QSUA1820/8	Stainless Steel	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Construction 17.06.19	PL.9 	Single Lever Faucet with Pull-Down Spray	L1 Admin Office Kitchen L1 Staff Room Kitchen L2 Catering Kitchen L2 Lounge Area Bar	American Standard	Collina Single Lever Faucet w/ Pull Down Spray Head 4717.300.002	Polished Chrome	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Construction 17.06.19	PL.10 	Floor Mount Utility/Mop Sink	Janitor Closet Throughout	Stern-Williams	SB-802 (w/ Tiling Flange, 2 Sides)	Terrazzo/Stainless Steel	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions. P-Trap not included.
			Hose/Wall Hook T-35					
			Mop Hanger T-40					
Issued for Construction 17.06.19	PL.11 	Wall Mount 2 Handle Utility/Mop Faucet	Janitor Closet Throughout	Chicago Faucets	897-CP	Polished Chrome	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.12 	Single-Hole Barrier-Free Basin	P1 Change Room L1 W/C L2 W/C	American Standard	Studio Self-Rimming/Drop-In Basin 0643.001	Vitreous China White	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions. Waste assembly not included.









14008 AQUAVISTA: PLUMBING SPECIFICATIONS

ISSUED FOR SI #04 18.03.07

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Colour/Finish	Supplier	Notes
Issued for Tender 16.03.18	PL.13 	Wall Mount Shelf	P1 Change Room L1 W/C L2 W/C	Bobrick	B-683	Stainless Steel	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.14A 	24" Horizontal Grab Bar	P1 Change Room W/C L1 W/C L2 W/C	Bobrick	B-6806.99x24	Satin Finish Stainless Steel with Peened Gripping Surface	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.14B 	30" L-Shaped Grab Bar	P1 Change Room W/C L1 W/C L2 W/C	Bobrick	6806.99-L30x30	Satin Finish Stainless Steel with Peened Gripping Surface	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.14C 	36" L-Shaped Grab Bar	P1 Change Room Shower	Bobrick	6806.99-L36x36	Satin Finish Stainless Steel with Peened Gripping Surface	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.14D 	12" Vertical Grab Bar	P1 Change Room Urinal	Bobrick	B-6806.99x12	Satin Finish Stainless Steel with Peened Gripping Surface	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Construction 17.06.19	PL.15 	Oval Lighted Mirror	P1 Change Room	Electric Mirror	Elite Lighted Mirror Size: TBD	Polished Chrome	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions. Customize tilting mirror to comply with ADA requirements.
Issued for Tender 16.03.18	PL.16 	Wall Mount Touchless Soap Dispenser	P1 Change Room L1 W/C L2 W/C	Bobrick	B-2012	Stainless Steel	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.17 	Recessed Wall Mount Paper Towel Dispenser with Waste Receptacle	P1 Change Room L1 W/C L2 W/C	Bobrick	Classic Series Convertible Paper Towel Dispenser with Waste Receptacle B-3944	Stainless Steel	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.




14008 AQUAVISTA: PLUMBING SPECIFICATIONS

ISSUED FOR SI #04 18.03.07

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Colour/Finish	Supplier	Notes
Issued for Tender 16.03.18	PL.18 	Wall Mount Napkin Waste Receptacle	P1 Change Room L1 W/C L2 W/C	Bobrick	Contura Series Feminine Hygiene Products Waste Receptacle B-270	Stainless Steel	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.19 	Wall Mount Toilet Tissue Dispenser with Utility Shelf	P1 Change Room L1 W/C L2 W/C	Bobrick	B-2840	Stainless Steel	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for SI #04 18.03.07	PL.20	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED	RESERVED
Issued for SI #04 18.03.07	PL.21	Linear Drain	P1 Change Room Showers	Infinity Drain	TBD	Stainless Steel	Trend Line Marketing Inc. Dan Cleutinx trendline@on.aibn.com T: 905.760.8115 C: 416.569.0460	Install as per Manufacturer's instructions.
Issued for Construction 17.06.19	PL.22	Wall Mount Toilet with Touchless Flushometer	P1 Change Room	American Standard	Afwall Millenium Flowise Elongated 3351.101.020 Centoco Toilet seat 820STS.001 Sloan 111 XL ES-S-CP Regal XL Optima Exposed Flushometer	Vitreous China White	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.
Issued for Tender 16.03.18	PL.23 	Surface Wall Mount Paper Towel Dispenser with Waste Receptacle	L2 W/C 208	Bobrick	Classic Series Convertible Paper Towel Dispenser with Waste Receptacle B-3949	Stainless Steel	Allied Technical Services Alex Ross alex@atsspec.ca T: 800.245.1880 C: 416.807.4279	Install as per Manufacturer's instructions.


14008 AQUAVISTA: PLUMBING SPECIFICATIONS

ISSUED FOR SI #04 18.03.07

LEGEND

	RESERVED
	REVISION
	TBD



ITEM				SPECIFICS			CONTACT	NOTES
Issue/Date	Reference	Item	Location	Manufacturer	Model/Product #	Colour/Finish	Supplier	Notes
Issued for SI #04 18.03.07	PL.24 	Shower Curtain Rod + Shower Curtain + Shower Curtain Hooks	P1 Change Room Showers	Bobrick	B-6107x72 72" Long Heavy-Duty Shower Curtain Rod Site Cut to Size + 204-3 Opaque Matte White Vinyl Shower Curtain 70"W x 72"H + 204-1 Stainless Steel Shower Curtain Hook	Stainless Steel	Citywide Door & Hardware T: 905.264.4401	Install as per Manufacturer's instructions for undermount installtion.