

II BY IV DESIGN
LIGHTING SPECIFICATION

17001 TRIDEL DC: LIGHTING SPECIFICATIONS


ISSUED FOR FINISHES TENDER 2017-08-08

LEGEND

	RESERVED
	REVISION
	TBD



All specifications are subject to change; alternates of equal or better quality accepted. Provide samples or cut sheets for Designer approval prior to installation. All fixtures to meet local electrical codes and standards. Install as per manufacturer's instructions.

ITEM					SPECIFICS			CONTACT		
Issue /Date	Reference	Reference Image	Item	Location	Manufacturer/Model/ Product #	Lamp Type	Finishes	Supplier	Contact	Notes
Issued for Finishes Tender 2017-08-08	L.1		Reserved							
Issued for Finishes Tender 2017-08-08	L.2		Recessed Downlight	Reception, Back Corridor	Contraste Ardito LED 3-1/2" Series A3SFR-TR-22-30-W Flangeless Trim, Mud-in-plate MIPA3S Ultra-Thin Profile Square Regressed Trim	LED 14W, 3000K	Matte Black-22	Lite mode	Steven Martelli steve@Litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.3		Cove Lighting (Decorative)	Reception, 'Behind the Walls'	Joyolight LG3030C, D8196 Tape	LED, 24V	n/a	Lite mode	Steven Martelli steve@Litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.4		Surface Mount Light	Reception Lounge	Edison ED VECTOR 2+, 58"L ED VECTOR2+-5FEET-5W/FTLED-120V-DL-SF-OP-BLK-30K	LED 5W, 120V, 3000K	Matte Black	Lite mode	Steven Martelli steve@Litemode.ca 905-738-8889	Please provide 0.10V driver (DL) for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.5		Recessed Downlight	Double Height Ceiling at Feature Stair	Contraste Ardito LED 3-1/2" Series A3SFR-TR-22-30-W Flangeless Trim, Mud-in-plate MIPA3S Ultra-Thin Profile Square Regressed Trim	LED 23W, 3000K	Matte Black-22	Lite mode	Steven Martelli steve@Litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.



17001 TRIDEL DC: LIGHTING SPECIFICATIONS

ISSUED FOR FINISHES TENDER 2017-08-08

LEGEND

	RESERVED
	REVISION
	TBD



All specifications are subject to change; alternates of equal or better quality accepted. Provide samples or cut sheets for Designer approval prior to installation. All fixtures to meet local electrical codes and standards. Install as per manufacturer's instructions.

ITEM					SPECIFICS			CONTACT		
Issue /Date	Reference	Reference Image	Item	Location	Manufacturer/Model/ Product #	Lamp Type	Finishes	Supplier	Contact	Notes
Issued for Finishes Tender 2017-08-08	L.6		Recessed Track Light	Design Centre	Linea Light - Maestro Creek Pound_1 64487-W-30 Complete with Carter system as required	LED, 15W, 3000K, 30° Beam, 95CRI	Black	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.7		Suspended Track Light	Design Centre, Library	Linea Light - Maestro Sunrise_1 96279-W-30 Complete with Maestro 52074 track system as required	LED, 15W, 3000K, 30° Beam, 95CRI	White	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.8		Recessed Adjustable Downlight	Reception	Contraste Ardito LED 2-1/2" Series A2RAR-11-30-M Ultra-Thin Profile Round Adjustable Regressed Trim	LED, 14W, 3000K	Matte White-11	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.9		Suspended Linear Light	Design Studio	Edison ED VECTOR 5+ Indirect 70% Direct 30%	LED	WH-White	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.

II BY IV DESIGN
LIGHTING SPECIFICATION

17001 TRIDEL DC: LIGHTING SPECIFICATIONS


ISSUED FOR FINISHES TENDER 2017-08-08

LEGEND

	RESERVED
	REVISION
	TBD



All specifications are subject to change; alternates of equal or better quality accepted. Provide samples or cut sheets for Designer approval prior to installation. All fixtures to meet local electrical codes and standards. Install as per manufacturer's instructions.

ITEM					SPECIFICS			CONTACT		
Issue /Date	Reference	Reference Image	Item	Location	Manufacturer/Model/ Product #	Lamp Type	Finishes	Supplier	Contact	Notes
Issued for Finishes Tender 2017-08-08	L.10		Surface Mount Decorative Fixture	Meeting Room, VR Room, Appointment Room	TBD - Electrician to provide J-Box	LED				
Issued for Finishes Tender 2017-08-08	L.11		Sculpture Spotlight	Double Height Ceiling at Feature Stair	Contraste Ardito LED - A3SAR-TR-11-30S 3-1/2" Series Ultra-Thin Profile Square Adjustable Regressed Trim	LED, 23W, 3000K	Matte White-11	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.12		Recessed Adjustable Downlight	Double Height Ceiling at Feature Stair	Contraste Ardito LED 3-1/2" Series A3RAR-11-11-30-M Ultra-Thin Profile Round Adjustable Regressed Trim	LED, 23W, 3000K	Matte White-11	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.13		Reserved							
Issued for Finishes Tender 2017-08-08	L.14		Recessed Downlight	Glass Portal, Slab Gallery	Iguzzini Laser Blade 2 Remote I.MT94-REM-02	LED 4.2W, 3000K, 97CRI	Black-02	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.



II BY IV DESIGN
LIGHTING SPECIFICATION

17001 TRIDEL DC: LIGHTING SPECIFICATIONS


ISSUED FOR FINISHES TENDER 2017-08-08

LEGEND

	RESERVED
	REVISION
	TBD



All specifications are subject to change; alternates of equal or better quality accepted. Provide samples or cut sheets for Designer approval prior to installation. All fixtures to meet local electrical codes and standards. Install as per manufacturer's instructions.

ITEM					SPECIFICS			CONTACT		
Issue /Date	Reference	Reference Image	Item	Location	Manufacturer/Model/ Product #	Lamp Type	Finishes	Supplier	Contact	Notes
Issued for Finishes Tender 2017-08-08	L.15		Reserved							
Issued for Finishes Tender 2017-08-08	L.16		LED Tape	Lobby Feature Stair Treads	Joyolight LS1613, D898 Tape	LED	n/a	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.17		LED Tape	Millwork Throughout	Joyolight LS0709, D3120 Tape	LED, 12V, 4000K, 200lm/ft	n/a	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.18		Recessed Potlight	Bathroom Vignettes	Eurofase 4" New Construction 38W LED Housing 4NC-38	LED, 38W	n/a	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.19		Reserved							



II BY IV DESIGN
LIGHTING SPECIFICATION

17001 TRIDEL DC: LIGHTING SPECIFICATIONS

ISSUED FOR FINISHES TENDER 2017-08-08

LEGEND

	RESERVED
	REVISION
	TBD



All specifications are subject to change; alternates of equal or better quality accepted. Provide samples or cut sheets for Designer approval prior to installation. All fixtures to meet local electrical codes and standards. Install as per manufacturer's instructions.

ITEM					SPECIFICS			CONTACT		
Issue /Date	Reference	Reference Image	Item	Location	Manufacturer/Model/ Product #	Lamp Type	Finishes	Supplier	Contact	Notes
Issued for Finishes Tender 2017-08-08	L.20		Wall Mount Sconce	Bathroom Vignette - Gold	Galaxy L719461CH	20W LED, 1600lm, 120V, 3000K	Polished Chrome, Satin White Glass	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome. 19-3/8"W x 4-1/2"H x 3-5/8"D
Issued for Finishes Tender 2017-08-08	L.21 *Same as L.18		Recessed Potlight	Closet Display	Eurofase 4" New Construction 38W LED Housing 4NC-38	LED, 38W	n/a	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.22		Reserved							
Issued for Finishes Tender 2017-08-08	L.23		Under-Cabinet Puck Light	Kitchen Vignettes	Liteline Pro Puck, 3-Puck Light Kit PRO-3	LED, 3W, 24V	TBD	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.24		Sensor Light	Closet Display	Leviton LED Ceiling Occupancy Sensor Lampholder 9864-LED	LED, 8.7W, 120VAC	White	Lite mode	Steven Martelli steve@litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.



17001 TRIDEL DC: LIGHTING SPECIFICATIONS

ISSUED FOR FINISHES TENDER 2017-08-08

LEGEND

	RESERVED
	REVISION
	TBD



All specifications are subject to change; alternates of equal or better quality accepted. Provide samples or cut sheets for Designer approval prior to installation. All fixtures to meet local electrical codes and standards. Install as per manufacturer's instructions.

ITEM					SPECIFICS			CONTACT		
Issue /Date	Reference	Reference Image	Item	Location	Manufacturer/Model/ Product #	Lamp Type	Finishes	Supplier	Contact	Notes
Issued for Finishes Tender 2017-08-08	L.25		Backlit Mirror	Bathroom Vignettes (Platinum, Diamond, Estate)	Lumidesign Amber	LED	5mm Sandblast ed Mirror, Matte White Body	Litemode	Steven Martelli steve@Litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome. 22"W x 40"H x 1.75"D
Issued for Finishes Tender 2017-08-08	L.26		Recessed Adjustable Downlight	Living Room Vignette	Liteline 3" LUNA™ LED Gimbal Recessed Fixture RA3-7G	LED, 7W, 650lm,	White	Litemode	Steven Martelli steve@Litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome.
Issued for Finishes Tender 2017-08-08	L.27		Surface Mount Light	Closet Display	Galaxy L612314xx016A1	LED, 16W, 1520lm, 3000K	Satin White Glass	Litemode	Steven Martelli steve@Litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome. 11"D x 3-1/4"H
Issued for Finishes Tender 2017-08-08	L.28		Square	Closet Display	Performance 2 15W	LED, 16W, 1520lm, 3000K	Satin White Glass	Litemode	Steven Martelli steve@Litemode.ca 905-738-8889	Please provide 0-10V driver for Crestron dimming system by Yourhome. 11"D x 3-1/4"H