



[Home](#) [Products](#) [Dishwashers](#) [Product Selection of dishwashers](#) [G 4998 Vi AM](#)



G 4998 Vi AM
Fully-integrated, full-size dishwasher with hidden control panel, cutlery basket and custom panel and handle ready

- Energy Star Qualified
- Save up to 40 % more electricity – hot water connection
- Very easy door opening and closing – ComfortClose ⓘ
- Every piece of cutlery fits perfectly – Miele basket design ⓘ



★★★★★ 4.5 (4)

Price: **\$ 1,599.00*** [Find a retailer](#)
* Excludes all applicable taxes and delivery charges



FREE
C2 VACUUM
+
FREE
MIELE DISH TABS

FREE C2 Canada Special Vacuum (Limit of one (1) per household). PLUS receive a FREE 1 year supply of Miele dishtabs
[Learn more](#)

Product details - G 4998 Vi AM

Construction type		⤴
Fully-integrated dishwasher	• ⓘ	
24 in (60 cm) dishwasher	•	
Full-size dishwasher	• ⓘ	
Design		⤴
Colour	Stainless Steel.	
Control panel version	Fully integrated fascia	
Control type	Programme selector button	
Display	3-digit 7-segment indicator	
Display colour	Yellow	
Convenience		⤴
Door closing aid	ComfortClose	
Time left display	• ⓘ	
Delay start up to 24 hours	• ⓘ	

In-operation indicator light	acoustic
Efficiency and sustainability 	
Hot water connection	• ⓘ
Alternating spray arm technology	• ⓘ
Half load	• ⓘ
Gentle treatment of crockery and glassware 	
Recirculation Turbothermic drying	• ⓘ
DetergentAgent	• ⓘ
Wash programs 	
Normal	• ⓘ
Pots and Pans	• ⓘ
Express	• ⓘ
SaniWash	• ⓘ
Rinse & Hold	•
Dishwashing options 	
Short	•
Basket design 	
Cutlery loading	Cutlery basket
Basket design	Comfort
Technology and quality 	
Sensors	AutoSensor
Electronic professional pump for variable spray pressure	• ⓘ
Safety 	
Waterproof system	•
Technical data 	
Niche width in in. (mm)	23 5/8 (600)
	-
	23 5/8 (600)
Niche height in in. (mm)	33 3/8 (845)
	-
	35 7/8 (910)
Niche depth in in. (mm)	22 1/2 (570)
Appliance width in in.(mm)	23 5/8 (598)
Appliance height in in. (mm)	33 3/8 (845)
Appliance depth in in. (mm)	22 1/2 (570)
Appliance depth with door open in in. (cm)	47 1/2 (120.5)
Net weight in lbs (kg)	98 (44.0)
Total rated load in kW	1.5
Voltage in V	120
Fuse rating in A	15
Number of phases	1
Length of water drain hose in ft. (m)	4 (1.50)
Length of electrical cable in ft. (m)	3 (1.20)
Length of water inlet hose in ft. (m)	4 (1.50)

* Excludes all applicable taxes and delivery charges

Subject to technical changes; no liability accepted for the accuracy of the information given!

¹ In the sensor wash gentle/ gentle programme