



TABLE No. 1
FOR ADDED REINFORCEMENT AT COLUMNS

SLAB THICKNESS in mm	ADDED REINFORCEMENT
180	2-15
200	2-20
220	2-20
240	2-20
260	2-20
280	2-20
300	2-25
320	2-25
340	4-20

TABLE No. 1A
FOR ADDED REINFORCEMENT AT COLUMNS

SLAB THICKNESS in mm	ADDED REINFORCEMENT
180	2-20
200	2-20
220	2-20
240	2-25
260	2-25
280	2-25
300	4-20
320	4-20
340	4-20

FIRST FLOOR ELEV. 93.60m

NO.	ISSUED / REVISED	DESC.
1	ISSUED FOR PERMIT	2014-09-03
2	RE ISSUED FOR PERMIT	2014-07-01
3	ISSUED FOR FORMING TENDER	2014-08-27
4	CONSTRUCTION REVIEW	2014-09-03
5	RE ISSUED FOR PERMIT	2015-01-07
6	ISSUED FOR CONSTRUCTION	2015-01-14
7	UPDATED - IFC	2015-04-24
8	UPDATED - IFC	2015-06-27
9	ISSUED FOR B.P.	2015-07-28
11	ISSUED FOR B.L.I	2015-11-04